



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

Annexure: 9B

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



TEST REPORT

| | | | |
|--|--|---|--|
| Project Name & Address | : Urtan North Coal Field, Taluka – Kotma, District – Anuppur (MP) | | |
| Customer Name & Address | : JMS Mining Private Limited, Dongfang Electric Building 3 rd Floor, Premises 16, MAR – 1111, Action Area 1A, Newtown, | | |
| Contact Details | : 9822438061 | Customer Reference | : -- |
| Test Report No | : NL/AIR/22 | Sampling Date | : 08/03/2024 to 05/06/2024 |
| Sample Received On | : 30/03/2024, 19/04/2024, 04/05/2024, 20/05/2024, 11/06/2024 | Report Issue Date | : 26/06/2024 |
| Sample ID. | : NL-0465/MAR24/AA-01 to AA-11 NL-0034/APR24/AA-01 to AA-11 NL-0047/MAY24/AA-01 to AA-11 NL-0077/MAY24/AA-01 to AA-11 NL-0102/JUN24/AA-01 to AA-11 | Date of Test Start | : 30/03/2024, 19/04/2024, 04/05/2024, 20/05/2024, 11/06/2024 |
| Sampling Plan Ref. | : As per Work Order | Date of Test complete | : 01/04/2024, 22/04/2024, 06/05/2024, 23/05/2024, 13/06/2024 |
| Sampling Method Ref. | : CPCB Volume - 1 | Sample Description | : Ambient Air Sample |
| Sampling By | : Lab | ULR No. | : TC978224000001113F |
| Environmental Condition at the time of Sampling | : Avg. Temperature : 29.4 °C Avg. Humidity : 47.4 % Weather condition : Sunny | Environmental Condition at the time of Testing | : Temp. : 24.8 °C Humidity : 43 % |
| Sample Quantity Received | : PM10 – 286 filter paper, PM2.5 – 286 filter paper, SO2, NO2 – 286 PVC Bottle each. Ammonia & Ozone – 26 PVC bottle each | | |

1. Chemical Testing
I. Ambient Air

DESCRIPTION LIST AMBIENT AIR SAMPLES

| Sr. No. | Lab Sample code | Client Sample code | Location | Lat. | Long. | Remark |
|---------|-----------------|--------------------|-------------------|--------------|---------------|-------------------------------------|
| | | | | (Northing) | (Easting) | |
| 1 | AA-01 | UN -A 1 | Thodha Village | 23°15'24.1"N | 081°59'21.7"E | Core Zone |
| 2 | AA-02 | UN -A 2 | Baskhali Village | 23.243979 N | 081.997635 E | Core Zone |
| 3 | AA-03 | UN -A 3 | Mauhari Village | 23°16'08.3"N | 082°00'25.1"E | Core Zone |
| 4 | AA-04 | UN -A 4 | Baskhala Village | 23.268902 N | 081.997264 E | Proposed Coal Washery (Urtan North) |
| 5 | AA-05 | UN -A 5 | Gadhi Village | 23.29112 N | 081.985755 E | Buffer Zone |
| 6 | AA-06 | UN -A 6 | Muddhoa Village | 23.276349 N | 081.973556 E | Buffer Zone |
| 7 | AA-07 | UN -A 7 | Reula Village | 23.261723 N | 081.964242 E | Buffer Zone |
| 8 | AA-08 | UN -A 8 | Urtan Village | 23°19'26.5"N | 081°58'28.0"E | Buffer Zone |
| 9 | AA-09 | UN -A 9 | Manmari Village | 23°14'24.4"N | 082°00'28.2"E | Buffer Zone |
| 10 | AA-10 | UN -A 10 | Pathroudi Village | 23.269325 N | 082.032257 E | Buffer Zone |
| 11 | AA-11 | UN -A 11 | Maintola Village | 23.25311 N | 082.054172 E | Buffer Zone |



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com
Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



TEST RESULTS

| Thodaha Village | | | | | | | | | | | |
|--|------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| UN-A-1 | | | | | | | | | | | |
| Week | Date | PM ₁₀ | PM _{2.5} | SO ₂ | NO ₂ | CO | NH ₃ | O ₃ | Pb | Ni | As |
| | | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | ng/m ³ |
| W-1 | 08.03.2024 | 53.4 | 30.3 | 20.2 | 23.0 | 466.0 | 65.2 | 15.5 | BDL | BDL | BDL |
| | 09.03.2024 | 52.8 | 29.6 | 19.8 | 20.8 | 488.0 | 70.6 | 14.8 | BDL | BDL | BDL |
| W-2 | 15.03.2024 | 51.9 | 28.2 | 17.3 | 19.7 | 444.0 | 66.9 | 15.3 | BDL | BDL | BDL |
| | 16.03.2024 | 50.8 | 30.5 | 20.5 | 19.2 | 488.0 | 75.4 | 13.9 | BDL | BDL | BDL |
| W-3 | 22.03.2024 | 51.3 | 27.9 | 21.2 | 19.0 | 511.0 | 71.6 | 15.8 | BDL | BDL | BDL |
| | 23.03.2024 | 49.8 | 31.6 | 19.8 | 20.0 | 400.0 | 76.9 | 14.2 | BDL | BDL | BDL |
| W-4 | 29.03.2024 | 50.2 | 25.9 | 18.8 | 18.2 | 422.0 | 80.5 | 16.9 | BDL | BDL | BDL |
| | 30.03.2024 | 51.7 | 29.8 | 19.7 | 21.9 | 466.0 | 77.8 | 14.8 | BDL | BDL | BDL |
| W-5 | 05.04.2024 | 50.6 | 30.9 | 20.3 | 23.3 | 488.0 | 74.5 | 13.7 | BDL | BDL | BDL |
| | 06.04.2024 | 49.7 | 32.5 | 20.8 | 23.9 | 400.0 | 76.3 | 14.5 | BDL | BDL | BDL |
| W-6 | 12.04.2024 | 48.4 | 27.6 | 18.8 | 26.8 | 466.0 | 73.1 | 16.3 | BDL | BDL | BDL |
| | 13.04.2024 | 47.2 | 29.4 | 21.3 | 25.1 | 511.0 | 82.4 | 15.9 | BDL | BDL | BDL |
| W-7 | 19.04.2024 | 51.4 | 25.5 | 23.6 | 23.2 | 466.0 | 77.2 | 19.1 | BDL | BDL | BDL |
| | 20.04.2024 | 52.3 | 33.2 | 25.2 | 25.1 | 400.0 | 67.8 | 17.2 | BDL | BDL | BDL |
| W-8 | 26.04.2024 | 54.8 | 34.8 | 21.7 | 25.8 | 444.0 | 68.9 | 19.5 | BDL | BDL | BDL |
| | 27.04.2024 | 52.9 | 31.8 | 22.6 | 27.1 | 533.0 | 61.1 | 20.2 | BDL | BDL | BDL |
| W-9 | 03.05.2024 | 57.6 | 30.9 | 23.2 | 25.9 | 444.0 | 67.8 | 19.4 | BDL | BDL | BDL |
| | 04.05.2024 | 56.9 | 28.2 | 24.8 | 23.7 | 466.0 | 73.2 | 20.5 | BDL | BDL | BDL |
| W-10 | 10.05.2024 | 54.7 | 30.4 | 20.5 | 22.6 | 400.0 | 69.5 | 17.5 | BDL | BDL | BDL |
| | 11.05.2024 | 54.2 | 32.6 | 22.3 | 22.1 | 488.0 | 78.0 | 16.1 | BDL | BDL | BDL |
| W-11 | 17.05.2024 | 53.9 | 33.4 | 21.9 | 21.9 | 466.0 | 74.2 | 17.5 | BDL | BDL | BDL |
| | 18.05.2024 | 55.8 | 31.2 | 19.8 | 22.9 | 466.0 | 79.5 | 16.3 | BDL | BDL | BDL |
| W-12 | 24.05.2024 | 50.4 | 28.8 | 24.4 | 21.1 | 400.0 | 83.1 | 17.8 | BDL | BDL | BDL |
| | 25.05.2024 | 53.9 | 30.7 | 23.2 | 24.8 | 444.0 | 80.4 | 18.9 | BDL | BDL | BDL |
| W-13 | 31.05.2024 | 50.8 | 32.2 | 20.1 | 26.2 | 488.0 | 77.1 | 20.5 | BDL | BDL | BDL |
| | 01.06.2024 | 53.4 | 31.7 | 18.7 | 26.8 | 400.0 | 78.9 | 20.6 | BDL | BDL | BDL |
| Minimum | | 47.2 | 25.5 | 17.3 | 18.2 | 400.0 | 61.1 | 13.7 | BDL | BDL | BDL |
| Maximum | | 57.6 | 34.8 | 25.2 | 27.1 | 533.0 | 83.1 | 20.6 | BDL | BDL | BDL |
| Average | | 52.3 | 30.4 | 21.2 | 23.1 | 456.0 | 74.2 | 17.0 | BDL | BDL | BDL |
| 98 percentile | | 57.3 | 34.1 | 25.0 | 27.0 | 522.0 | 82.8 | 20.6 | BDL | BDL | BDL |
| Limits As Per MoEF gazette notification GSR/826(E) | | 100 | 60 | 80 | 80 | 2000 | 400 | 100 | 1.0 | 20 | 06 |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note -

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



| Baskhali Village | | | | | | | | | | | |
|---|------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| UN-A-2 | | | | | | | | | | | |
| Week | Date | PM ₁₀ | PM _{2.5} | SO ₂ | NO ₂ | CO | NH ₃ | O ₃ | Pb | Ni | As |
| | | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | ng/m ³ |
| W-1 | 08.03.2024 | 58.2 | 34.2 | 20.8 | 31.2 | 644.0 | 80.6 | 20.3 | BDL | BDL | BDL |
| | 09.03.2024 | 58.6 | 34.5 | 20.9 | 31.4 | 688.0 | 86.0 | 21.2 | BDL | BDL | BDL |
| W-2 | 15.03.2024 | 59.4 | 34.9 | 21.2 | 31.8 | 711.0 | 82.3 | 17.9 | BDL | BDL | BDL |
| | 16.03.2024 | 60.3 | 35.5 | 21.5 | 32.3 | 688.0 | 90.8 | 16.1 | BDL | BDL | BDL |
| W-3 | 22.03.2024 | 58.8 | 34.6 | 21.0 | 31.5 | 622.0 | 87.0 | 17.4 | BDL | BDL | BDL |
| | 23.03.2024 | 57.5 | 33.8 | 20.5 | 30.8 | 644.0 | 92.3 | 17.6 | BDL | BDL | BDL |
| W-4 | 29.03.2024 | 61.6 | 36.2 | 22.0 | 33.0 | 733.0 | 95.9 | 18.6 | BDL | BDL | BDL |
| | 30.03.2024 | 59.9 | 35.2 | 21.4 | 32.1 | 755.0 | 93.2 | 19.0 | BDL | BDL | BDL |
| W-5 | 05.04.2024 | 60.7 | 35.7 | 21.7 | 32.5 | 711.0 | 89.9 | 17.9 | BDL | BDL | BDL |
| | 06.04.2024 | 61.9 | 36.4 | 22.1 | 33.2 | 644.0 | 91.7 | 17.7 | BDL | BDL | BDL |
| W-6 | 12.04.2024 | 59.1 | 34.8 | 21.1 | 31.7 | 688.0 | 89.3 | 23.8 | BDL | BDL | BDL |
| | 13.04.2024 | 60.8 | 35.8 | 21.7 | 32.6 | 711.0 | 98.6 | 23.4 | BDL | BDL | BDL |
| W-7 | 19.04.2024 | 60.2 | 35.4 | 21.5 | 32.3 | 644.0 | 93.4 | 25.8 | BDL | BDL | BDL |
| | 20.04.2024 | 58.0 | 34.1 | 20.7 | 31.1 | 622.0 | 84.0 | 23.9 | BDL | BDL | BDL |
| W-8 | 26.04.2024 | 56.9 | 33.5 | 20.3 | 30.5 | 688.0 | 85.1 | 24.7 | BDL | BDL | BDL |
| | 27.04.2024 | 59.4 | 34.9 | 21.2 | 31.8 | 644.0 | 77.3 | 23.4 | BDL | BDL | BDL |
| W-9 | 03.05.2024 | 60.8 | 35.8 | 21.7 | 32.6 | 622.0 | 84.0 | 24.1 | BDL | BDL | BDL |
| | 04.05.2024 | 61.2 | 36.0 | 21.9 | 32.8 | 644.0 | 89.4 | 25.0 | BDL | BDL | BDL |
| W-10 | 10.05.2024 | 62.0 | 36.5 | 22.1 | 33.2 | 711.0 | 85.7 | 21.7 | BDL | BDL | BDL |
| | 11.05.2024 | 62.9 | 37.0 | 22.5 | 33.7 | 688.0 | 94.2 | 19.9 | BDL | BDL | BDL |
| W-11 | 17.05.2024 | 61.4 | 36.1 | 21.9 | 32.9 | 777.0 | 90.4 | 21.2 | BDL | BDL | BDL |
| | 18.05.2024 | 60.1 | 35.4 | 21.5 | 32.2 | 755.0 | 95.7 | 21.4 | BDL | BDL | BDL |
| W-12 | 24.05.2024 | 64.2 | 37.8 | 22.9 | 34.4 | 688.0 | 99.3 | 22.4 | BDL | BDL | BDL |
| | 25.05.2024 | 62.5 | 36.8 | 22.3 | 33.5 | 711.0 | 96.6 | 22.8 | BDL | BDL | BDL |
| W-13 | 31.05.2024 | 63.3 | 37.2 | 22.6 | 33.9 | 644.0 | 93.3 | 21.7 | BDL | BDL | BDL |
| | 01.06.2024 | 64.5 | 37.9 | 23.0 | 34.6 | 622.0 | 95.1 | 21.5 | BDL | BDL | BDL |
| Minimum | | 56.9 | 33.5 | 20.3 | 30.5 | 622.0 | 77.3 | 16.1 | BDL | BDL | BDL |
| Maximum | | 64.5 | 37.9 | 23.0 | 34.6 | 777.0 | 99.3 | 25.8 | BDL | BDL | BDL |
| Average | | 60.5 | 35.6 | 21.6 | 32.4 | 680.7 | 90.0 | 21.2 | BDL | BDL | BDL |
| 98 percentile | | 64.4 | 37.9 | 23.0 | 34.5 | 766.0 | 99.0 | 25.4 | BDL | BDL | BDL |
| Limits As Per MoEF gazette notification GSR/826(E) | | 100 | 60 | 80 | 80 | 2000 | 400 | 100 | 1.0 | 20 | 06 |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

- Note –
1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
 2. The results listed referred to the tested samples and applicable parameters only.
 3. Our liability is limited to the commercial value of the test/tests carried out.
 4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com
Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



| Mauhari Village | | | | | | | | | | | |
|--|------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| UN-A-3 | | | | | | | | | | | |
| Week | Date | PM ₁₀ | PM _{2.5} | SO ₂ | NO ₂ | CO | NH ₃ | O ₃ | Pb | Ni | As |
| | | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | ng/m ³ |
| W-1 | 08.03.2024 | 51.8 | 28.7 | 19.2 | 23.0 | 333.0 | 45.3 | 10.9 | BDL | BDL | BDL |
| | 09.03.2024 | 53.6 | 29.8 | 19.9 | 23.8 | 355.0 | 50.7 | 11.8 | BDL | BDL | BDL |
| W-2 | 15.03.2024 | 52.5 | 29.2 | 19.4 | 23.3 | 333.0 | 47.0 | 8.5 | BDL | BDL | BDL |
| | 16.03.2024 | 50.5 | 28.1 | 18.7 | 22.4 | 377.0 | 55.5 | 6.7 | BDL | BDL | BDL |
| W-3 | 22.03.2024 | 51.3 | 28.5 | 19.0 | 22.8 | 311.0 | 51.7 | 8.0 | BDL | BDL | BDL |
| | 23.03.2024 | 52.4 | 29.1 | 19.4 | 23.3 | 333.0 | 57.0 | 8.2 | BDL | BDL | BDL |
| W-4 | 29.03.2024 | 52.6 | 29.2 | 19.5 | 23.4 | 377.0 | 60.6 | 9.2 | BDL | BDL | BDL |
| | 30.03.2024 | 52.8 | 29.3 | 19.6 | 23.5 | 400.0 | 57.9 | 9.6 | BDL | BDL | BDL |
| W-5 | 05.04.2024 | 49.5 | 27.5 | 18.3 | 22.0 | 311.0 | 54.6 | 8.5 | BDL | BDL | BDL |
| | 06.04.2024 | 50.6 | 28.1 | 18.7 | 22.5 | 400.0 | 56.4 | 8.3 | BDL | BDL | BDL |
| W-6 | 12.04.2024 | 55.7 | 30.9 | 20.6 | 24.8 | 333.0 | 53.8 | 13.5 | BDL | BDL | BDL |
| | 13.04.2024 | 54.4 | 30.2 | 20.1 | 24.2 | 377.0 | 63.1 | 13.1 | BDL | BDL | BDL |
| W-7 | 19.04.2024 | 55.2 | 30.7 | 20.4 | 24.5 | 333.0 | 57.9 | 15.5 | BDL | BDL | BDL |
| | 20.04.2024 | 55.7 | 30.9 | 20.6 | 24.8 | 355.0 | 48.5 | 13.6 | BDL | BDL | BDL |
| W-8 | 26.04.2024 | 54.1 | 30.1 | 20.0 | 24.0 | 377.0 | 49.6 | 14.4 | BDL | BDL | BDL |
| | 27.04.2024 | 55.3 | 30.7 | 20.5 | 24.6 | 333.0 | 41.8 | 13.1 | BDL | BDL | BDL |
| W-9 | 03.05.2024 | 55.6 | 30.9 | 20.6 | 24.7 | 400.0 | 48.5 | 13.8 | BDL | BDL | BDL |
| | 04.05.2024 | 56.2 | 31.2 | 20.8 | 25.0 | 377.0 | 53.9 | 14.7 | BDL | BDL | BDL |
| W-10 | 10.05.2024 | 56.3 | 31.3 | 20.9 | 25.0 | 333.0 | 50.2 | 11.4 | BDL | BDL | BDL |
| | 11.05.2024 | 54.3 | 30.2 | 20.1 | 24.1 | 355.0 | 58.7 | 9.6 | BDL | BDL | BDL |
| W-11 | 17.05.2024 | 55.1 | 30.6 | 20.4 | 24.5 | 377.0 | 54.9 | 10.9 | BDL | BDL | BDL |
| | 18.05.2024 | 56.2 | 31.2 | 20.8 | 25.0 | 355.0 | 60.2 | 11.1 | BDL | BDL | BDL |
| W-12 | 24.05.2024 | 56.4 | 31.3 | 20.9 | 25.1 | 400.0 | 63.8 | 12.1 | BDL | BDL | BDL |
| | 25.05.2024 | 56.5 | 31.4 | 20.9 | 25.1 | 377.0 | 61.1 | 12.5 | BDL | BDL | BDL |
| W-13 | 31.05.2024 | 53.3 | 29.6 | 19.7 | 23.7 | 311.0 | 57.8 | 11.4 | BDL | BDL | BDL |
| | 01.06.2024 | 54.4 | 30.2 | 20.1 | 24.2 | 333.0 | 59.6 | 11.2 | BDL | BDL | BDL |
| Minimum | | 49.5 | 27.5 | 18.3 | 22.0 | 311.0 | 41.8 | 6.7 | BDL | BDL | BDL |
| Maximum | | 56.5 | 31.4 | 20.9 | 25.1 | 400.0 | 63.8 | 15.5 | BDL | BDL | BDL |
| Average | | 53.9 | 30.0 | 20.0 | 24.0 | 356.0 | 54.6 | 11.2 | BDL | BDL | BDL |
| 98 percentile | | 56.5 | 31.4 | 20.9 | 25.1 | 400.0 | 63.5 | 15.1 | BDL | BDL | BDL |
| Limits As Per MoEF gazette notification GSR/826(E) | | 100 | 60 | 80 | 80 | 2000 | 400 | 100 | 1.0 | 20 | 06 |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

- Note –
1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
 2. The results listed referred to the tested samples and applicable parameters only.
 3. Our liability is limited to the commercial value of the test/tests carried out.
 4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



| Baskhala Village | | | | | | | | | | | |
|---|------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| UN-A-4 | | | | | | | | | | | |
| Week | Date | PM ₁₀ | PM _{2.5} | SO ₂ | NO ₂ | CO | NH ₃ | O ₃ | Pb | Ni | As |
| | | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | ng/m ³ |
| W-1 | 08.03.2024 | 57.0 | 33.5 | 22.8 | 29.6 | 844.0 | 114.6 | 27.1 | BDL | BDL | BDL |
| | 09.03.2024 | 60.9 | 35.8 | 24.4 | 31.7 | 866.0 | 120.6 | 28.0 | BDL | BDL | BDL |
| W-2 | 15.03.2024 | 62.4 | 36.7 | 24.9 | 32.4 | 822.0 | 116.5 | 24.7 | BDL | BDL | BDL |
| | 16.03.2024 | 62.6 | 36.8 | 25.0 | 32.5 | 777.0 | 125.8 | 22.9 | BDL | BDL | BDL |
| W-3 | 22.03.2024 | 64.4 | 37.9 | 25.7 | 33.5 | 800.0 | 121.7 | 24.2 | BDL | BDL | BDL |
| | 23.03.2024 | 62.7 | 36.9 | 25.1 | 32.6 | 822.0 | 127.5 | 24.4 | BDL | BDL | BDL |
| W-4 | 29.03.2024 | 61.6 | 36.2 | 24.6 | 32.0 | 866.0 | 131.5 | 25.4 | BDL | BDL | BDL |
| | 30.03.2024 | 59.3 | 34.9 | 23.7 | 30.8 | 888.0 | 128.5 | 25.8 | BDL | BDL | BDL |
| W-5 | 05.04.2024 | 58.4 | 34.4 | 23.4 | 30.4 | 844.0 | 124.9 | 24.7 | BDL | BDL | BDL |
| | 06.04.2024 | 59.8 | 35.2 | 23.9 | 31.1 | 800.0 | 126.8 | 24.5 | BDL | BDL | BDL |
| W-6 | 12.04.2024 | 64.1 | 37.7 | 25.7 | 33.3 | 888.0 | 133.7 | 29.0 | BDL | BDL | BDL |
| | 13.04.2024 | 63.8 | 37.5 | 25.5 | 33.2 | 866.0 | 143.9 | 28.6 | BDL | BDL | BDL |
| W-7 | 19.04.2024 | 60.6 | 35.7 | 24.2 | 31.5 | 822.0 | 138.2 | 31.0 | BDL | BDL | BDL |
| | 20.04.2024 | 62.7 | 36.9 | 25.1 | 32.6 | 777.0 | 127.8 | 29.1 | BDL | BDL | BDL |
| W-8 | 26.04.2024 | 64.2 | 37.8 | 25.7 | 33.4 | 822.0 | 129.0 | 29.9 | BDL | BDL | BDL |
| | 27.04.2024 | 63.8 | 37.5 | 25.5 | 33.2 | 844.0 | 120.5 | 28.6 | BDL | BDL | BDL |
| W-9 | 03.05.2024 | 61.5 | 36.2 | 24.6 | 32.0 | 866.0 | 127.8 | 29.3 | BDL | BDL | BDL |
| | 04.05.2024 | 65.5 | 38.5 | 26.2 | 34.0 | 800.0 | 133.8 | 30.2 | BDL | BDL | BDL |
| W-10 | 10.05.2024 | 66.9 | 39.3 | 26.8 | 34.8 | 822.0 | 129.7 | 26.9 | BDL | BDL | BDL |
| | 11.05.2024 | 67.1 | 39.5 | 26.8 | 34.9 | 866.0 | 139.0 | 25.1 | BDL | BDL | BDL |
| W-11 | 17.05.2024 | 68.9 | 40.5 | 27.5 | 35.8 | 844.0 | 134.9 | 26.4 | BDL | BDL | BDL |
| | 18.05.2024 | 67.2 | 39.5 | 26.9 | 34.9 | 800.0 | 140.7 | 26.6 | BDL | BDL | BDL |
| W-12 | 24.05.2024 | 66.1 | 38.9 | 26.4 | 34.4 | 866.0 | 144.7 | 27.6 | BDL | BDL | BDL |
| | 25.05.2024 | 63.8 | 37.5 | 25.5 | 33.2 | 888.0 | 141.7 | 28.0 | BDL | BDL | BDL |
| W-13 | 31.05.2024 | 62.9 | 37.0 | 25.2 | 32.7 | 866.0 | 138.1 | 26.9 | BDL | BDL | BDL |
| | 01.06.2024 | 64.4 | 37.9 | 25.7 | 33.5 | 822.0 | 140.0 | 26.7 | BDL | BDL | BDL |
| Minimum | | 57.0 | 33.5 | 22.8 | 29.6 | 777.0 | 114.6 | 22.9 | BDL | BDL | BDL |
| Maximum | | 68.9 | 40.5 | 27.5 | 35.8 | 888.0 | 144.7 | 31.0 | BDL | BDL | BDL |
| Average | | 63.2 | 37.2 | 25.3 | 32.8 | 838.0 | 130.8 | 27.0 | BDL | BDL | BDL |
| 98 percentile | | 68.1 | 40.0 | 27.2 | 35.4 | 888.0 | 144.3 | 30.6 | BDL | BDL | BDL |
| Limits As Per MoEF gazette notification GSR/826(E) | | 100 | 60 | 80 | 80 | 2000 | 400 | 100 | 1.0 | 20 | 06 |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note -

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



| Gadhi Village | | | | | | | | | | | |
|---|------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| UN-A-1-5 | | | | | | | | | | | |
| Week | Date | PM ₁₀ | PM _{2.5} | SO ₂ | NO ₂ | CO | NH ₃ | O ₃ | Pb | Ni | As |
| | | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | ng/m ³ |
| W-1 | 10.03.2024 | 58.7 | 32.6 | 23.5 | 32.9 | 822.0 | 94.7 | 22.3 | BDL | BDL | BDL |
| | 11.03.2024 | 59.9 | 33.3 | 24.0 | 33.6 | 755.0 | 100.1 | 23.2 | BDL | BDL | BDL |
| W-2 | 17.03.2024 | 58.2 | 32.4 | 23.3 | 32.6 | 800.0 | 96.4 | 19.9 | BDL | BDL | BDL |
| | 18.03.2024 | 59.1 | 32.9 | 23.7 | 33.1 | 844.0 | 104.9 | 18.1 | BDL | BDL | BDL |
| W-3 | 24.03.2024 | 59.7 | 33.2 | 23.9 | 33.5 | 866.0 | 101.1 | 19.4 | BDL | BDL | BDL |
| | 25.03.2024 | 60.9 | 33.9 | 24.4 | 34.1 | 888.0 | 106.4 | 19.6 | BDL | BDL | BDL |
| W-4 | 31.03.2024 | 62.7 | 34.9 | 25.1 | 35.1 | 911.0 | 110.0 | 20.6 | BDL | BDL | BDL |
| | 01.04.2024 | 62.1 | 34.5 | 24.9 | 34.8 | 844.0 | 107.3 | 21.0 | BDL | BDL | BDL |
| W-5 | 07.04.2024 | 59.9 | 33.3 | 24.0 | 33.6 | 888.0 | 104.0 | 19.9 | BDL | BDL | BDL |
| | 08.04.2024 | 58.3 | 32.4 | 23.3 | 32.7 | 822.0 | 105.8 | 19.7 | BDL | BDL | BDL |
| W-6 | 14.04.2024 | 64.8 | 36.0 | 25.9 | 36.3 | 755.0 | 101.9 | 21.3 | BDL | BDL | BDL |
| | 15.04.2024 | 64.3 | 35.7 | 25.7 | 36.0 | 888.0 | 111.2 | 20.9 | BDL | BDL | BDL |
| W-7 | 21.04.2024 | 62.1 | 34.5 | 24.9 | 34.8 | 822.0 | 106.0 | 23.3 | BDL | BDL | BDL |
| | 22.04.2024 | 60.9 | 33.9 | 24.4 | 34.1 | 888.0 | 96.6 | 21.4 | BDL | BDL | BDL |
| W-8 | 28.04.2024 | 59.8 | 33.2 | 23.9 | 33.5 | 844.0 | 97.7 | 22.2 | BDL | BDL | BDL |
| | 29.04.2024 | 59.5 | 33.1 | 23.8 | 33.3 | 911.0 | 89.9 | 20.9 | BDL | BDL | BDL |
| W-9 | 05.05.2024 | 60.6 | 33.7 | 24.3 | 34.0 | 888.0 | 96.6 | 21.6 | BDL | BDL | BDL |
| | 06.05.2024 | 61.8 | 34.4 | 24.7 | 34.6 | 755.0 | 102.0 | 22.5 | BDL | BDL | BDL |
| W-10 | 12.05.2024 | 60.1 | 33.4 | 24.1 | 33.7 | 800.0 | 98.3 | 19.2 | BDL | BDL | BDL |
| | 13.05.2024 | 61.0 | 33.9 | 24.4 | 34.2 | 755.0 | 106.8 | 17.4 | BDL | BDL | BDL |
| W-11 | 19.05.2024 | 61.6 | 34.2 | 24.7 | 34.5 | 844.0 | 103.0 | 18.7 | BDL | BDL | BDL |
| | 20.05.2024 | 62.8 | 34.9 | 25.1 | 35.2 | 822.0 | 108.3 | 18.9 | BDL | BDL | BDL |
| W-12 | 26.05.2024 | 64.6 | 35.9 | 25.9 | 36.2 | 888.0 | 111.9 | 19.9 | BDL | BDL | BDL |
| | 27.05.2024 | 64.0 | 35.6 | 25.6 | 35.9 | 866.0 | 109.2 | 20.3 | BDL | BDL | BDL |
| W-13 | 02.06.2024 | 61.8 | 34.4 | 24.7 | 34.6 | 755.0 | 105.9 | 19.2 | BDL | BDL | BDL |
| | 03.06.2024 | 60.2 | 33.5 | 24.1 | 33.7 | 800.0 | 107.7 | 19.0 | BDL | BDL | BDL |
| Minimum | | 58.2 | 32.4 | 23.3 | 32.6 | 755.0 | 89.9 | 17.4 | BDL | BDL | BDL |
| Maximum | | 64.8 | 36.0 | 25.9 | 36.3 | 911.0 | 111.9 | 23.3 | BDL | BDL | BDL |
| Average | | 61.2 | 34.0 | 24.5 | 34.3 | 835.4 | 103.2 | 20.4 | BDL | BDL | BDL |
| 98 percentile | | 64.7 | 36.0 | 25.9 | 36.3 | 911.0 | 111.6 | 23.3 | BDL | BDL | BDL |
| Limits As Per MoEF gazette notification GSR/826(E) | | 100 | 60 | 80 | 80 | 2000 | 400 | 100 | 1.0 | 20 | 06 |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



| Muddhoa Village | | | | | | | | | | | |
|--|------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| UN-A-6 | | | | | | | | | | | |
| Week | Date | PM ₁₀ | PM _{2.5} | SO ₂ | NO ₂ | CO | NH ₃ | O ₃ | Pb | Ni | As |
| | | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | ng/m ³ |
| W-1 | 10.03.2024 | 55.1 | 36.7 | 26.2 | 28.9 | 688.0 | 57.7 | 19.0 | BDL | BDL | BDL |
| | 11.03.2024 | 57.0 | 38.0 | 27.1 | 29.9 | 666.0 | 63.1 | 19.9 | BDL | BDL | BDL |
| W-2 | 17.03.2024 | 57.6 | 38.4 | 27.4 | 30.2 | 644.0 | 59.4 | 16.6 | BDL | BDL | BDL |
| | 18.03.2024 | 56.8 | 37.9 | 27.0 | 29.8 | 733.0 | 67.9 | 14.8 | BDL | BDL | BDL |
| W-3 | 24.03.2024 | 52.9 | 35.3 | 25.2 | 27.7 | 688.0 | 64.1 | 16.1 | BDL | BDL | BDL |
| | 25.03.2024 | 55.9 | 37.3 | 26.6 | 29.3 | 622.0 | 69.4 | 16.3 | BDL | BDL | BDL |
| W-4 | 31.03.2024 | 57.2 | 38.1 | 27.2 | 30.0 | 711.0 | 73.0 | 17.3 | BDL | BDL | BDL |
| | 01.04.2024 | 57.6 | 38.4 | 27.4 | 30.2 | 733.0 | 70.3 | 17.7 | BDL | BDL | BDL |
| W-5 | 07.04.2024 | 57.3 | 38.2 | 27.3 | 30.0 | 733.0 | 67.0 | 16.6 | BDL | BDL | BDL |
| | 08.04.2024 | 55.2 | 36.8 | 26.3 | 28.9 | 711.0 | 68.8 | 16.4 | BDL | BDL | BDL |
| W-6 | 14.04.2024 | 59.0 | 39.3 | 28.1 | 30.9 | 688.0 | 55.0 | 17.8 | BDL | BDL | BDL |
| | 15.04.2024 | 60.1 | 40.1 | 28.6 | 31.5 | 622.0 | 64.3 | 17.4 | BDL | BDL | BDL |
| W-7 | 21.04.2024 | 56.9 | 37.9 | 27.1 | 29.8 | 644.0 | 59.1 | 19.8 | BDL | BDL | BDL |
| | 22.04.2024 | 57.8 | 38.5 | 27.5 | 30.3 | 666.0 | 49.7 | 17.9 | BDL | BDL | BDL |
| W-8 | 28.04.2024 | 56.3 | 37.5 | 26.8 | 29.5 | 688.0 | 50.8 | 18.7 | BDL | BDL | BDL |
| | 29.04.2024 | 55.5 | 37.0 | 26.4 | 29.1 | 644.0 | 43.0 | 17.4 | BDL | BDL | BDL |
| W-9 | 05.05.2024 | 57.4 | 38.3 | 27.3 | 30.1 | 688.0 | 49.7 | 18.1 | BDL | BDL | BDL |
| | 06.05.2024 | 59.3 | 39.5 | 28.2 | 31.1 | 644.0 | 55.1 | 19.0 | BDL | BDL | BDL |
| W-10 | 12.05.2024 | 59.9 | 39.9 | 28.5 | 31.4 | 622.0 | 51.4 | 15.7 | BDL | BDL | BDL |
| | 13.05.2024 | 59.1 | 39.4 | 28.1 | 31.0 | 644.0 | 59.9 | 13.9 | BDL | BDL | BDL |
| W-11 | 19.05.2024 | 55.2 | 36.8 | 26.3 | 28.9 | 711.0 | 56.1 | 15.2 | BDL | BDL | BDL |
| | 20.05.2024 | 58.2 | 38.8 | 27.7 | 30.5 | 733.0 | 61.4 | 15.4 | BDL | BDL | BDL |
| W-12 | 26.05.2024 | 59.5 | 39.7 | 28.3 | 31.2 | 688.0 | 65.0 | 16.4 | BDL | BDL | BDL |
| | 27.05.2024 | 59.9 | 39.9 | 28.5 | 31.4 | 711.0 | 62.3 | 16.8 | BDL | BDL | BDL |
| W-13 | 02.06.2024 | 59.6 | 39.7 | 28.4 | 31.2 | 644.0 | 59.0 | 15.7 | BDL | BDL | BDL |
| | 03.06.2024 | 57.5 | 38.3 | 27.4 | 30.1 | 711.0 | 60.8 | 15.5 | BDL | BDL | BDL |
| Minimum | | 52.9 | 35.3 | 25.2 | 27.7 | 622.0 | 43.0 | 13.9 | BDL | BDL | BDL |
| Maximum | | 60.1 | 40.1 | 28.6 | 31.5 | 733.0 | 73.0 | 19.9 | BDL | BDL | BDL |
| Average | | 57.5 | 38.3 | 27.3 | 30.1 | 679.9 | 60.1 | 17.0 | BDL | BDL | BDL |
| 98 percentile | | 60.0 | 40.0 | 28.6 | 31.5 | 733.0 | 71.7 | 19.9 | BDL | BDL | BDL |
| Limits As Per MoEF gazette notification GSR/826(E) | | 100 | 60 | 80 | 80 | 2000 | 400 | 100 | 1.0 | 20 | 06 |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note -

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



| Reula Village | | | | | | | | | | | |
|---|------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| UN-A-7 | | | | | | | | | | | |
| Week | Date | PM ₁₀ | PM _{2.5} | SO ₂ | NO ₂ | CO | NH ₃ | O ₃ | Pb | Ni | As |
| | | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | ng/m ³ |
| W-1 | 10.03.2024 | 64.6 | 38.0 | 26.9 | 35.0 | 888.0 | 78.4 | 22.5 | BDL | BDL | BDL |
| | 11.03.2024 | 62.2 | 36.6 | 25.9 | 33.7 | 866.0 | 83.8 | 23.4 | BDL | BDL | BDL |
| W-2 | 17.03.2024 | 63.3 | 37.2 | 26.4 | 34.3 | 822.0 | 80.1 | 20.1 | BDL | BDL | BDL |
| | 18.03.2024 | 64.2 | 37.8 | 26.8 | 34.8 | 911.0 | 88.6 | 18.3 | BDL | BDL | BDL |
| W-3 | 24.03.2024 | 62.7 | 36.9 | 26.1 | 34.0 | 800.0 | 84.8 | 19.6 | BDL | BDL | BDL |
| | 25.03.2024 | 64.8 | 38.1 | 27.0 | 35.1 | 777.0 | 90.1 | 19.8 | BDL | BDL | BDL |
| W-4 | 31.03.2024 | 62.9 | 37.0 | 26.2 | 34.1 | 888.0 | 93.7 | 20.8 | BDL | BDL | BDL |
| | 01.04.2024 | 63.2 | 37.2 | 26.3 | 34.2 | 866.0 | 91.0 | 21.2 | BDL | BDL | BDL |
| W-5 | 07.04.2024 | 66.7 | 37.6 | 27.8 | 36.1 | 777.0 | 87.7 | 20.1 | BDL | BDL | BDL |
| | 08.04.2024 | 64.0 | 37.6 | 26.7 | 34.7 | 800.0 | 89.5 | 19.9 | BDL | BDL | BDL |
| W-6 | 14.04.2024 | 66.5 | 37.4 | 27.7 | 36.0 | 933.0 | 79.6 | 20.0 | BDL | BDL | BDL |
| | 15.04.2024 | 67.4 | 37.6 | 28.1 | 36.5 | 911.0 | 88.9 | 19.6 | BDL | BDL | BDL |
| W-7 | 21.04.2024 | 68.3 | 37.5 | 28.5 | 37.0 | 888.0 | 83.7 | 22.0 | BDL | BDL | BDL |
| | 22.04.2024 | 68.5 | 36.2 | 28.5 | 37.1 | 911.0 | 74.3 | 20.1 | BDL | BDL | BDL |
| W-8 | 28.04.2024 | 65.3 | 38.4 | 27.2 | 35.4 | 866.0 | 75.4 | 20.9 | BDL | BDL | BDL |
| | 29.04.2024 | 68.2 | 37.4 | 28.4 | 36.9 | 888.0 | 67.6 | 19.6 | BDL | BDL | BDL |
| W-9 | 05.05.2024 | 67.7 | 37.5 | 28.2 | 36.7 | 777.0 | 74.3 | 20.3 | BDL | BDL | BDL |
| | 06.05.2024 | 65.3 | 38.4 | 27.2 | 35.4 | 800.0 | 79.7 | 21.2 | BDL | BDL | BDL |
| W-10 | 12.05.2024 | 66.4 | 37.5 | 27.7 | 36.0 | 866.0 | 76.0 | 17.9 | BDL | BDL | BDL |
| | 13.05.2024 | 67.3 | 38.2 | 28.0 | 36.5 | 911.0 | 84.5 | 16.1 | BDL | BDL | BDL |
| W-11 | 19.05.2024 | 65.8 | 38.7 | 27.4 | 35.6 | 822.0 | 80.7 | 17.4 | BDL | BDL | BDL |
| | 20.05.2024 | 67.9 | 38.4 | 28.3 | 36.8 | 800.0 | 86.0 | 17.6 | BDL | BDL | BDL |
| W-12 | 26.05.2024 | 66.0 | 38.8 | 27.5 | 35.8 | 777.0 | 89.6 | 18.6 | BDL | BDL | BDL |
| | 27.05.2024 | 66.3 | 37.4 | 27.6 | 35.9 | 755.0 | 86.9 | 19.0 | BDL | BDL | BDL |
| W-13 | 02.06.2024 | 66.2 | 38.9 | 27.6 | 35.9 | 888.0 | 83.6 | 17.9 | BDL | BDL | BDL |
| | 03.06.2024 | 67.1 | 38.2 | 28.0 | 36.3 | 866.0 | 85.4 | 17.7 | BDL | BDL | BDL |
| Minimum | | 62.2 | 36.2 | 25.9 | 33.7 | 755.0 | 67.6 | 16.1 | BDL | BDL | BDL |
| Maximum | | 68.5 | 38.9 | 28.5 | 37.1 | 933.0 | 93.7 | 23.4 | BDL | BDL | BDL |
| Average | | 65.7 | 37.7 | 27.4 | 35.6 | 848.2 | 83.2 | 19.7 | BDL | BDL | BDL |
| 98 percentile | | 68.4 | 38.9 | 28.5 | 37.1 | 922.0 | 92.4 | 23.0 | BDL | BDL | BDL |
| Limits As Per MoEF gazette notification GSR/826(E) | | 100 | 60 | 80 | 80 | 2000 | 400 | 100 | 1.0 | 20 | 06 |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

- Note –
1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
 2. The results listed referred to the tested samples and applicable parameters only.
 3. Our liability is limited to the commercial value of the test/tests carried out.
 4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com
Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



| Urtan Village | | | | | | | | | | | |
|---|------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| UN-A-8 | | | | | | | | | | | |
| Week | Date | PM ₁₀ | PM _{2.5} | SO ₂ | NO ₂ | CO | NH ₃ | O ₃ | Pb | Ni | As |
| | | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | ng/m ³ |
| W-1 | 10.03.2024 | 52.8 | 33.0 | 19.6 | 29.3 | 377.0 | 59.00 | 16.0 | BDL | BDL | BDL |
| | 11.03.2024 | 51.6 | 32.3 | 19.1 | 28.7 | 355.0 | 64.40 | 16.9 | BDL | BDL | BDL |
| W-2 | 17.03.2024 | 52.0 | 32.5 | 19.3 | 28.9 | 333.0 | 60.70 | 13.6 | BDL | BDL | BDL |
| | 18.03.2024 | 53.9 | 33.7 | 20.0 | 29.9 | 288.0 | 69.20 | 11.8 | BDL | BDL | BDL |
| W-3 | 24.03.2024 | 53.1 | 33.2 | 19.7 | 29.5 | 333.0 | 65.40 | 13.1 | BDL | BDL | BDL |
| | 25.03.2024 | 54.0 | 33.8 | 20.0 | 30.0 | 311.0 | 70.70 | 13.3 | BDL | BDL | BDL |
| W-4 | 31.03.2024 | 50.6 | 31.6 | 18.7 | 28.1 | 355.0 | 74.30 | 14.3 | BDL | BDL | BDL |
| | 01.04.2024 | 48.8 | 30.5 | 18.1 | 27.1 | 377.0 | 71.60 | 14.7 | BDL | BDL | BDL |
| W-5 | 07.04.2024 | 49.7 | 31.1 | 18.4 | 27.6 | 400.0 | 68.30 | 13.6 | BDL | BDL | BDL |
| | 08.04.2024 | 50.9 | 31.8 | 18.9 | 28.3 | 422.0 | 70.10 | 13.4 | BDL | BDL | BDL |
| W-6 | 14.04.2024 | 52.9 | 33.1 | 19.6 | 29.4 | 444.0 | 66.80 | 17.2 | BDL | BDL | BDL |
| | 15.04.2024 | 55.0 | 34.4 | 20.4 | 30.6 | 377.0 | 76.10 | 16.8 | BDL | BDL | BDL |
| W-7 | 21.04.2024 | 52.5 | 32.8 | 19.4 | 29.2 | 355.0 | 70.90 | 19.2 | BDL | BDL | BDL |
| | 22.04.2024 | 54.4 | 34.0 | 20.1 | 30.2 | 355.0 | 61.50 | 17.3 | BDL | BDL | BDL |
| W-8 | 28.04.2024 | 52.3 | 32.7 | 19.4 | 29.1 | 400.0 | 62.60 | 18.1 | BDL | BDL | BDL |
| | 29.04.2024 | 52.9 | 33.1 | 19.6 | 29.4 | 311.0 | 54.80 | 16.8 | BDL | BDL | BDL |
| W-9 | 05.05.2024 | 55.3 | 34.6 | 20.5 | 30.7 | 288.0 | 61.50 | 17.5 | BDL | BDL | BDL |
| | 06.05.2024 | 54.1 | 33.8 | 20.0 | 30.1 | 377.0 | 66.90 | 18.4 | BDL | BDL | BDL |
| W-10 | 12.05.2024 | 54.5 | 34.1 | 20.2 | 30.3 | 355.0 | 63.20 | 15.1 | BDL | BDL | BDL |
| | 13.05.2024 | 56.4 | 35.3 | 20.9 | 31.3 | 288.0 | 71.70 | 13.3 | BDL | BDL | BDL |
| W-11 | 19.05.2024 | 55.6 | 34.8 | 20.6 | 30.9 | 222.0 | 67.90 | 14.6 | BDL | BDL | BDL |
| | 20.05.2024 | 56.5 | 35.3 | 20.9 | 31.4 | 266.0 | 73.20 | 14.8 | BDL | BDL | BDL |
| W-12 | 26.05.2024 | 53.1 | 33.2 | 19.7 | 29.5 | 288.0 | 76.80 | 15.8 | BDL | BDL | BDL |
| | 27.05.2024 | 51.3 | 32.1 | 19.0 | 28.5 | 266.0 | 74.10 | 16.2 | BDL | BDL | BDL |
| W-13 | 02.06.2024 | 52.2 | 32.6 | 19.3 | 29.0 | 333.0 | 70.80 | 15.1 | BDL | BDL | BDL |
| | 03.06.2024 | 53.4 | 33.4 | 19.8 | 29.7 | 288.0 | 72.60 | 14.9 | BDL | BDL | BDL |
| Minimum | | 48.8 | 30.5 | 18.1 | 27.1 | 222.0 | 54.8 | 11.8 | BDL | BDL | BDL |
| Maximum | | 56.5 | 35.3 | 20.9 | 31.4 | 444.0 | 76.8 | 19.2 | BDL | BDL | BDL |
| Average | | 53.1 | 33.2 | 19.7 | 29.5 | 337.1 | 67.9 | 15.5 | BDL | BDL | BDL |
| 98 percentile | | 56.5 | 35.3 | 20.9 | 31.4 | 433.0 | 76.5 | 18.8 | BDL | BDL | BDL |
| Limits As Per MoEF gazette notification GSR/826(E) | | 100 | 60 | 80 | 80 | 2000 | 400 | 100 | 1.0 | 20 | 06 |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note -

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



| Manmari Village | | | | | | | | | | | |
|---|------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| UN-A-9 | | | | | | | | | | | |
| Week | Date | PM ₁₀ | PM _{2.5} | SO ₂ | NO ₂ | CO | NH ₃ | O ₃ | Pb | Ni | As |
| | | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | ng/m ³ |
| W-1 | 12.03.2024 | 58.0 | 35.4 | 22.0 | 30.8 | 800.0 | 81.4 | 36.3 | BDL | BDL | BDL |
| | 13.03.2024 | 57.2 | 35.7 | 20.9 | 29.3 | 822.0 | 86.8 | 37.2 | BDL | BDL | BDL |
| W-2 | 19.03.2024 | 58.3 | 34.5 | 21.6 | 30.2 | 777.0 | 83.1 | 33.9 | BDL | BDL | BDL |
| | 20.03.2024 | 56.0 | 35.1 | 23.0 | 32.2 | 844.0 | 91.6 | 32.1 | BDL | BDL | BDL |
| W-3 | 26.03.2024 | 58.1 | 36.0 | 21.7 | 30.4 | 822.0 | 87.8 | 33.4 | BDL | BDL | BDL |
| | 27.03.2024 | 59.7 | 37.4 | 24.1 | 33.7 | 777.0 | 93.1 | 33.6 | BDL | BDL | BDL |
| W-4 | 02.04.2024 | 57.8 | 35.1 | 23.2 | 32.5 | 844.0 | 96.7 | 34.6 | BDL | BDL | BDL |
| | 03.04.2024 | 55.6 | 34.5 | 23.6 | 33.0 | 866.0 | 94.0 | 35.0 | BDL | BDL | BDL |
| W-5 | 09.04.2024 | 55.3 | 35.2 | 21.8 | 30.5 | 911.0 | 90.7 | 33.9 | BDL | BDL | BDL |
| | 10.04.2024 | 56.0 | 37.4 | 22.7 | 31.8 | 933.0 | 92.5 | 33.7 | BDL | BDL | BDL |
| W-6 | 16.04.2024 | 60.7 | 36.4 | 25.9 | 36.3 | 888.0 | 83.0 | 32.8 | BDL | BDL | BDL |
| | 17.04.2024 | 60.3 | 35.7 | 24.5 | 34.3 | 866.0 | 92.3 | 32.4 | BDL | BDL | BDL |
| W-7 | 23.04.2024 | 58.4 | 32.8 | 23.8 | 33.3 | 822.0 | 87.1 | 34.8 | BDL | BDL | BDL |
| | 24.04.2024 | 57.4 | 35.7 | 25.5 | 35.7 | 777.0 | 77.7 | 32.9 | BDL | BDL | BDL |
| W-8 | 30.04.2024 | 59.8 | 34.5 | 22.5 | 31.5 | 800.0 | 78.8 | 33.7 | BDL | BDL | BDL |
| | 01.05.2024 | 61.3 | 33.8 | 20.9 | 29.3 | 822.0 | 71.0 | 32.4 | BDL | BDL | BDL |
| W-9 | 07.05.2024 | 60.1 | 33.7 | 19.6 | 27.4 | 844.0 | 77.7 | 33.1 | BDL | BDL | BDL |
| | 08.05.2024 | 59.3 | 34.0 | 18.5 | 25.9 | 822.0 | 83.1 | 34.0 | BDL | BDL | BDL |
| W-10 | 14.05.2024 | 60.4 | 32.8 | 19.2 | 26.9 | 777.0 | 79.4 | 30.7 | BDL | BDL | BDL |
| | 15.05.2024 | 58.1 | 33.4 | 20.6 | 28.8 | 844.0 | 87.9 | 28.9 | BDL | BDL | BDL |
| W-11 | 21.05.2024 | 60.2 | 34.3 | 19.3 | 27.0 | 866.0 | 84.1 | 30.2 | BDL | BDL | BDL |
| | 22.05.2024 | 61.8 | 35.7 | 21.7 | 30.4 | 822.0 | 89.4 | 30.4 | BDL | BDL | BDL |
| W-12 | 28.05.2024 | 59.9 | 33.4 | 20.8 | 29.1 | 844.0 | 93.0 | 31.4 | BDL | BDL | BDL |
| | 29.05.2024 | 57.7 | 32.8 | 21.2 | 29.7 | 822.0 | 90.3 | 31.8 | BDL | BDL | BDL |
| W-13 | 04.06.2024 | 57.4 | 33.5 | 19.4 | 27.2 | 777.0 | 87.0 | 30.7 | BDL | BDL | BDL |
| | 05.06.2024 | 58.1 | 35.7 | 20.3 | 28.4 | 800.0 | 88.8 | 30.5 | BDL | BDL | BDL |
| Minimum | | 55.3 | 32.8 | 18.5 | 25.9 | 777.0 | 71.0 | 28.9 | BDL | BDL | BDL |
| Maximum | | 61.8 | 37.4 | 25.9 | 36.3 | 933.0 | 96.7 | 37.2 | BDL | BDL | BDL |
| Average | | 58.6 | 34.8 | 21.9 | 30.6 | 830.3 | 86.5 | 32.9 | BDL | BDL | BDL |
| 98 percentile | | 61.6 | 37.4 | 25.7 | 36.0 | 922.0 | 95.4 | 36.8 | BDL | BDL | BDL |
| Limits As Per MoEF gazette notification GSR/826(E) | | 100 | 60 | 80 | 80 | 2000 | 400 | 100 | 1.0 | 20 | 06 |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

- Note -
1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
 2. The results listed referred to the tested samples and applicable parameters only.
 3. Our liability is limited to the commercial value of the test/tests carried out.
 4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com
Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



| Pathroudi Village | | | | | | | | | | | |
|---|------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| UN-A-10 | | | | | | | | | | | |
| Week | Date | PM ₁₀ | PM _{2.5} | SO ₂ | NO ₂ | CO | NH ₃ | O ₃ | Pb | Ni | As |
| | | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | ng/m ³ |
| W-1 | 12.03.2024 | 59.5 | 33.1 | 22.0 | 28.6 | 622.0 | 58.0 | 18.0 | BDL | BDL | BDL |
| | 13.03.2024 | 57.0 | 31.7 | 21.1 | 27.4 | 666.0 | 63.4 | 18.9 | BDL | BDL | BDL |
| W-2 | 19.03.2024 | 56.8 | 31.6 | 21.0 | 27.3 | 600.0 | 59.7 | 15.6 | BDL | BDL | BDL |
| | 20.03.2024 | 60.3 | 33.5 | 22.3 | 29.0 | 511.0 | 68.2 | 13.8 | BDL | BDL | BDL |
| W-3 | 26.03.2024 | 57.0 | 31.7 | 21.1 | 27.4 | 577.0 | 64.4 | 15.1 | BDL | BDL | BDL |
| | 27.03.2024 | 60.5 | 33.6 | 22.4 | 29.1 | 688.0 | 69.7 | 15.3 | BDL | BDL | BDL |
| W-4 | 02.04.2024 | 62.4 | 34.7 | 23.1 | 30.0 | 666.0 | 73.3 | 16.3 | BDL | BDL | BDL |
| | 03.04.2024 | 63.3 | 35.2 | 23.4 | 30.5 | 555.0 | 70.6 | 16.7 | BDL | BDL | BDL |
| W-5 | 09.04.2024 | 60.8 | 33.8 | 22.5 | 29.3 | 622.0 | 67.3 | 15.6 | BDL | BDL | BDL |
| | 10.04.2024 | 59.5 | 33.1 | 22.0 | 28.6 | 600.0 | 69.1 | 15.4 | BDL | BDL | BDL |
| W-6 | 16.04.2024 | 60.3 | 33.5 | 22.3 | 29.0 | 622.0 | 61.9 | 18.4 | BDL | BDL | BDL |
| | 17.04.2024 | 62.4 | 34.7 | 23.1 | 30.0 | 555.0 | 71.2 | 18.0 | BDL | BDL | BDL |
| W-7 | 23.04.2024 | 63.7 | 35.4 | 23.6 | 30.7 | 666.0 | 66.0 | 20.4 | BDL | BDL | BDL |
| | 24.04.2024 | 64.5 | 35.8 | 23.9 | 31.1 | 688.0 | 56.6 | 18.5 | BDL | BDL | BDL |
| W-8 | 30.04.2024 | 63.2 | 35.1 | 23.4 | 30.4 | 555.0 | 57.7 | 19.3 | BDL | BDL | BDL |
| | 01.05.2024 | 65.8 | 36.6 | 24.4 | 31.7 | 600.0 | 49.9 | 18.0 | BDL | BDL | BDL |
| W-9 | 07.05.2024 | 62.9 | 34.9 | 23.3 | 30.3 | 622.0 | 56.6 | 18.7 | BDL | BDL | BDL |
| | 08.05.2024 | 60.4 | 33.6 | 22.4 | 29.1 | 644.0 | 62.0 | 19.6 | BDL | BDL | BDL |
| W-10 | 14.05.2024 | 60.2 | 33.4 | 22.3 | 29.0 | 688.0 | 58.3 | 16.3 | BDL | BDL | BDL |
| | 15.05.2024 | 63.7 | 35.4 | 23.6 | 30.7 | 577.0 | 66.8 | 14.5 | BDL | BDL | BDL |
| W-11 | 21.05.2024 | 60.4 | 33.6 | 22.4 | 29.1 | 555.0 | 63.0 | 15.8 | BDL | BDL | BDL |
| | 22.05.2024 | 63.9 | 35.5 | 23.7 | 30.8 | 600.0 | 68.3 | 16.0 | BDL | BDL | BDL |
| W-12 | 28.05.2024 | 65.8 | 36.6 | 24.4 | 31.7 | 666.0 | 71.9 | 17.0 | BDL | BDL | BDL |
| | 29.05.2024 | 66.7 | 37.1 | 24.7 | 32.1 | 688.0 | 69.2 | 17.4 | BDL | BDL | BDL |
| W-13 | 04.06.2024 | 64.2 | 35.7 | 23.8 | 30.9 | 511.0 | 65.9 | 16.3 | BDL | BDL | BDL |
| | 05.06.2024 | 62.9 | 34.9 | 23.3 | 30.3 | 600.0 | 67.7 | 16.1 | BDL | BDL | BDL |
| Minimum | | 56.8 | 31.6 | 21.0 | 27.3 | 511.0 | 49.9 | 13.8 | BDL | BDL | BDL |
| Maximum | | 66.7 | 37.1 | 24.7 | 32.1 | 688.0 | 73.3 | 20.4 | BDL | BDL | BDL |
| Average | | 61.9 | 34.4 | 22.9 | 29.8 | 613.2 | 64.5 | 17.0 | BDL | BDL | BDL |
| 98 percentile | | 66.3 | 36.9 | 24.6 | 31.9 | 688.0 | 72.6 | 20.0 | BDL | BDL | BDL |
| Limits As Per MoEF gazette notification GSR/826(E) | | 100 | 60 | 80 | 80 | 2000 | 400 | 100 | 1.0 | 20 | 06 |

For M/s Nilawar Laboratories,



Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955

► Soil Testing for all types of Foundation Designs. ► Chemical Analysis of Soil & Water ► Mechanical Analysis of Soil & Rock

Page 11 of 25 Micro-biological Analysis of Soil & Water ► Testing of Construction Material ► Environment Consultants ► Environment Monitoring & Analysis



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



| Maintola Village | | | | | | | | | | | |
|---|------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| UN-A-11 | | | | | | | | | | | |
| Week | Date | PM ₁₀ | PM _{2.5} | SO ₂ | NO ₂ | CO | NH ₃ | O ₃ | Pb | Ni | As |
| | | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ³ | µg/m ⁴ | µg/m ⁵ | µg/m ⁶ | µg/m ³ | ng/m ³ | ng/m ³ |
| W-1 | 12.03.2024 | 60.2 | 39.0 | 20.7 | 28.1 | 555.0 | 82.8 | 28.3 | BDL | BDL | BDL |
| | 13.03.2024 | 60.6 | 40.3 | 21.6 | 26.6 | 622.0 | 88.2 | 29.2 | BDL | BDL | BDL |
| W-2 | 19.03.2024 | 61.3 | 40.0 | 22.5 | 27.5 | 688.0 | 84.5 | 25.9 | BDL | BDL | BDL |
| | 20.03.2024 | 61.8 | 38.6 | 23.3 | 28.0 | 600.0 | 93.0 | 24.1 | BDL | BDL | BDL |
| W-3 | 26.03.2024 | 62.5 | 37.5 | 24.5 | 29.4 | 511.0 | 89.2 | 25.4 | BDL | BDL | BDL |
| | 27.03.2024 | 63.8 | 38.4 | 25.7 | 30.0 | 488.0 | 94.5 | 25.6 | BDL | BDL | BDL |
| W-4 | 02.04.2024 | 65.7 | 40.0 | 23.6 | 28.2 | 555.0 | 98.1 | 26.3 | BDL | BDL | BDL |
| | 03.04.2024 | 64.6 | 40.3 | 22.8 | 26.6 | 511.0 | 95.4 | 26.7 | BDL | BDL | BDL |
| W-5 | 09.04.2024 | 61.3 | 38.7 | 21.5 | 28.3 | 555.0 | 92.1 | 25.6 | BDL | BDL | BDL |
| | 10.04.2024 | 59.2 | 38.1 | 20.7 | 27.1 | 622.0 | 93.9 | 25.4 | BDL | BDL | BDL |
| W-6 | 16.04.2024 | 63.4 | 39.6 | 25.6 | 29.5 | 688.0 | 87.2 | 29.0 | BDL | BDL | BDL |
| | 17.04.2024 | 64.7 | 38.4 | 26.5 | 27.0 | 488.0 | 96.5 | 28.6 | BDL | BDL | BDL |
| W-7 | 23.04.2024 | 65.6 | 39.1 | 23.3 | 27.8 | 511.0 | 91.3 | 31.0 | BDL | BDL | BDL |
| | 24.04.2024 | 67.4 | 38.6 | 21.8 | 26.9 | 666.0 | 81.9 | 29.1 | BDL | BDL | BDL |
| W-8 | 30.04.2024 | 64.8 | 39.1 | 20.8 | 24.6 | 688.0 | 83.0 | 29.9 | BDL | BDL | BDL |
| | 01.05.2024 | 64.0 | 38.6 | 21.4 | 24.1 | 733.0 | 75.2 | 28.6 | BDL | BDL | BDL |
| W-9 | 07.05.2024 | 61.1 | 38.5 | 19.6 | 25.5 | 777.0 | 81.9 | 29.3 | BDL | BDL | BDL |
| | 08.05.2024 | 61.5 | 39.8 | 20.5 | 24.0 | 644.0 | 87.3 | 30.2 | BDL | BDL | BDL |
| W-10 | 14.05.2024 | 62.2 | 39.5 | 21.4 | 24.9 | 555.0 | 83.6 | 26.9 | BDL | BDL | BDL |
| | 15.05.2024 | 62.7 | 38.1 | 22.2 | 25.4 | 577.0 | 92.1 | 25.1 | BDL | BDL | BDL |
| W-11 | 21.05.2024 | 63.4 | 37.0 | 23.4 | 26.8 | 822.0 | 88.3 | 26.4 | BDL | BDL | BDL |
| | 22.05.2024 | 64.7 | 37.9 | 24.6 | 27.4 | 644.0 | 93.6 | 26.6 | BDL | BDL | BDL |
| W-12 | 28.05.2024 | 66.6 | 39.5 | 22.5 | 25.6 | 622.0 | 97.2 | 27.6 | BDL | BDL | BDL |
| | 29.05.2024 | 65.5 | 39.8 | 21.7 | 24.0 | 666.0 | 94.5 | 28.0 | BDL | BDL | BDL |
| W-13 | 04.06.2024 | 62.2 | 38.2 | 20.4 | 25.7 | 688.0 | 91.2 | 26.9 | BDL | BDL | BDL |
| | 05.06.2024 | 60.1 | 37.6 | 19.6 | 24.5 | 644.0 | 93.0 | 26.7 | BDL | BDL | BDL |
| Minimum | | 59.2 | 37.0 | 19.6 | 24.0 | 488.0 | 75.2 | 24.1 | BDL | BDL | BDL |
| Maximum | | 67.4 | 40.3 | 26.5 | 30.0 | 822.0 | 98.1 | 31.0 | BDL | BDL | BDL |
| Average | | 63.1 | 38.9 | 22.4 | 26.7 | 620.0 | 89.6 | 27.4 | BDL | BDL | BDL |
| 98 percentile | | 67.0 | 40.3 | 26.1 | 29.8 | 799.5 | 97.7 | 30.6 | BDL | BDL | BDL |
| Limits As Per MoEF gazette notification GSR/826(E) | | 100 | 60 | 80 | 80 | 2000 | 400 | 100 | 1.0 | 20 | 06 |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

- Note -
1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
 2. The results listed referred to the tested samples and applicable parameters only.
 3. Our liability is limited to the commercial value of the test/tests carried out.
 4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



-----Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharwad Road, Nagpur - 440 023. Ph. : +91-742-2542261, 2542201, E-mail: nilawarlabs@gmail.com
Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

TEST RESULTS

| Thodaha Village | | | | | | |
|-----------------|------------|--------------------------|------------------------|------------------------|--------------------------|------------------------|
| UN-A-1 | | | | | | |
| Week | Date | Benzene | B(a)P | Cd | Cr | Hg |
| | | $\mu\text{g}/\text{m}^3$ | ng/m^3 | ng/m^3 | $\mu\text{g}/\text{m}^3$ | ng/m^3 |
| W-1 | 08.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 09.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-2 | 15.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 16.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-3 | 22.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 23.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-4 | 29.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 30.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-5 | 05.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 06.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-6 | 12.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 13.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-7 | 19.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 20.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-8 | 26.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 27.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-9 | 03.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 04.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-10 | 10.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 11.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-11 | 17.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 18.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-12 | 24.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 25.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-13 | 31.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 01.06.2024 | BDL | BDL | BDL | BDL | BDL |
| Minimum | | BDL | BDL | BDL | BDL | BDL |
| Maximum | | BDL | BDL | BDL | BDL | BDL |
| Average | | BDL | BDL | BDL | BDL | BDL |
| 98 percentile | | BDL | BDL | BDL | BDL | BDL |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

| Baskhali Village | | | | | | |
|------------------|------------|--------------------------|------------------------|------------------------|--------------------------|------------------------|
| UN-A-2 | | | | | | |
| Week | Date | Benzene | B(a)P | Cd | Cr | Hg |
| | | $\mu\text{g}/\text{m}^3$ | ng/m^3 | ng/m^3 | $\mu\text{g}/\text{m}^3$ | ng/m^3 |
| W-1 | 08.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 09.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-2 | 15.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 16.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-3 | 22.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 23.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-4 | 29.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 30.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-5 | 05.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 06.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-6 | 12.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 13.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-7 | 19.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 20.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-8 | 26.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 27.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-9 | 03.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 04.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-10 | 10.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 11.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-11 | 17.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 18.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-12 | 24.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 25.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-13 | 31.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 01.06.2024 | BDL | BDL | BDL | BDL | BDL |
| Minimum | | BDL | BDL | BDL | BDL | BDL |
| Maximum | | BDL | BDL | BDL | BDL | BDL |
| Average | | BDL | BDL | BDL | BDL | BDL |
| 98 percentile | | BDL | BDL | BDL | BDL | BDL |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

| Mauhari Village | | | | | | |
|-----------------|------------|--------------------------|------------------------|------------------------|--------------------------|------------------------|
| UN-A-3 | | | | | | |
| Week | Date | Benzene | B(a)P | Cd | Cr | Hg |
| | | $\mu\text{g}/\text{m}^3$ | ng/m^3 | ng/m^3 | $\mu\text{g}/\text{m}^3$ | ng/m^3 |
| W-1 | 08.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 09.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-2 | 15.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 16.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-3 | 22.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 23.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-4 | 29.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 30.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-5 | 05.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 06.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-6 | 12.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 13.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-7 | 19.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 20.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-8 | 26.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 27.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-9 | 03.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 04.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-10 | 10.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 11.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-11 | 17.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 18.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-12 | 24.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 25.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-13 | 31.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 01.06.2024 | BDL | BDL | BDL | BDL | BDL |
| Minimum | | BDL | BDL | BDL | BDL | BDL |
| Maximum | | BDL | BDL | BDL | BDL | BDL |
| Average | | BDL | BDL | BDL | BDL | BDL |
| 98 percentile | | BDL | BDL | BDL | BDL | BDL |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

| Baskhala Village | | | | | | |
|------------------|------------|--------------------------|------------------------|------------------------|--------------------------|------------------------|
| UN-A-4 | | | | | | |
| Week | Date | Benzene | B(a)P | Cd | Cr | Hg |
| | | $\mu\text{g}/\text{m}^3$ | ng/m^3 | ng/m^3 | $\mu\text{g}/\text{m}^3$ | ng/m^3 |
| W-1 | 08.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 09.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-2 | 15.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 16.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-3 | 22.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 23.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-4 | 29.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 30.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-5 | 05.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 06.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-6 | 12.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 13.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-7 | 19.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 20.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-8 | 26.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 27.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-9 | 03.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 04.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-10 | 10.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 11.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-11 | 17.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 18.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-12 | 24.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 25.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-13 | 31.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 01.06.2024 | BDL | BDL | BDL | BDL | BDL |
| Minimum | | BDL | BDL | BDL | BDL | BDL |
| Maximum | | BDL | BDL | BDL | BDL | BDL |
| Average | | BDL | BDL | BDL | BDL | BDL |
| 98 percentile | | BDL | BDL | BDL | BDL | BDL |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

| Gadhi Village | | | | | | |
|---------------|------------|--------------------------|------------------------|------------------------|--------------------------|------------------------|
| UN-A-5 | | | | | | |
| Week | Date | Benzene | B(a)P | Cd | Cr | Hg |
| | | $\mu\text{g}/\text{m}^3$ | ng/m^3 | ng/m^3 | $\mu\text{g}/\text{m}^3$ | ng/m^3 |
| W-1 | 10.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 11.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-2 | 17.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 18.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-3 | 24.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 25.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-4 | 31.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 01.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-5 | 07.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 08.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-6 | 14.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 15.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-7 | 21.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 22.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-8 | 28.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 29.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-9 | 05.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 06.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-10 | 12.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 13.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-11 | 19.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 20.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-12 | 26.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 27.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-13 | 02.06.2024 | BDL | BDL | BDL | BDL | BDL |
| | 03.06.2024 | BDL | BDL | BDL | BDL | BDL |
| Minimum | | BDL | BDL | BDL | BDL | BDL |
| Maximum | | BDL | BDL | BDL | BDL | BDL |
| Average | | BDL | BDL | BDL | BDL | BDL |
| 98 percentile | | BDL | BDL | BDL | BDL | BDL |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

| Muddhoa Village | | | | | | |
|-----------------|------------|--------------------------|------------------------|------------------------|--------------------------|------------------------|
| UN-A-6 | | | | | | |
| Week | Date | Benzene | B(a)P | Cd | Cr | Hg |
| | | $\mu\text{g}/\text{m}^3$ | ng/m^3 | ng/m^3 | $\mu\text{g}/\text{m}^3$ | ng/m^3 |
| W-1 | 10.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 11.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-2 | 17.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 18.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-3 | 24.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 25.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-4 | 31.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 01.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-5 | 07.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 08.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-6 | 14.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 15.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-7 | 21.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 22.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-8 | 28.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 29.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-9 | 05.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 06.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-10 | 12.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 13.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-11 | 19.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 20.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-12 | 26.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 27.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-13 | 02.06.2024 | BDL | BDL | BDL | BDL | BDL |
| | 03.06.2024 | BDL | BDL | BDL | BDL | BDL |
| Minimum | | BDL | BDL | BDL | BDL | BDL |
| Maximum | | BDL | BDL | BDL | BDL | BDL |
| Average | | BDL | BDL | BDL | BDL | BDL |
| 98 percentile | | BDL | BDL | BDL | BDL | BDL |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

| Reula Village | | | | | | |
|---------------|------------|--------------------------|------------------------|------------------------|--------------------------|------------------------|
| UN-A-7 | | | | | | |
| Week | Date | Benzene | B(a)P | Cd | Cr | Hg |
| | | $\mu\text{g}/\text{m}^3$ | ng/m^3 | ng/m^3 | $\mu\text{g}/\text{m}^3$ | ng/m^3 |
| W-1 | 10.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 11.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-2 | 17.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 18.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-3 | 24.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 25.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-4 | 31.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 01.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-5 | 07.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 08.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-6 | 14.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 15.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-7 | 21.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 22.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-8 | 28.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 29.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-9 | 05.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 06.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-10 | 12.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 13.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-11 | 19.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 20.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-12 | 26.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 27.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-13 | 02.06.2024 | BDL | BDL | BDL | BDL | BDL |
| | 03.06.2024 | BDL | BDL | BDL | BDL | BDL |
| Minimum | | BDL | BDL | BDL | BDL | BDL |
| Maximum | | BDL | BDL | BDL | BDL | BDL |
| Average | | BDL | BDL | BDL | BDL | BDL |
| 98 percentile | | BDL | BDL | BDL | BDL | BDL |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

| Urtan Village | | | | | | |
|---------------|------------|--------------------------|------------------------|------------------------|--------------------------|------------------------|
| UN-A-8 | | | | | | |
| Week | Date | Benzene | B(a)P | Cd | Cr | Hg |
| | | $\mu\text{g}/\text{m}^3$ | ng/m^3 | ng/m^3 | $\mu\text{g}/\text{m}^3$ | ng/m^3 |
| W-1 | 10.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 11.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-2 | 17.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 18.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-3 | 24.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 25.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-4 | 31.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 01.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-5 | 07.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 08.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-6 | 14.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 15.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-7 | 21.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 22.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-8 | 28.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 29.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-9 | 05.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 06.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-10 | 12.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 13.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-11 | 19.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 20.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-12 | 26.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 27.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-13 | 02.06.2024 | BDL | BDL | BDL | BDL | BDL |
| | 03.06.2024 | BDL | BDL | BDL | BDL | BDL |
| Minimum | | BDL | BDL | BDL | BDL | BDL |
| Maximum | | BDL | BDL | BDL | BDL | BDL |
| Average | | BDL | BDL | BDL | BDL | BDL |
| 98 percentile | | BDL | BDL | BDL | BDL | BDL |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

- Note –
1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
 2. The results listed referred to the tested samples and applicable parameters only.
 3. Our liability is limited to the commercial value of the test/tests carried out.
 4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

| Manmari Village | | | | | | |
|-----------------|------------|--------------------------|------------------------|------------------------|--------------------------|------------------------|
| UN-A-9 | | | | | | |
| Week | Date | Benzene | B(a)P | Cd | Cr | Hg |
| | | $\mu\text{g}/\text{m}^3$ | ng/m^3 | ng/m^3 | $\mu\text{g}/\text{m}^3$ | ng/m^3 |
| W-1 | 12.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 13.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-2 | 19.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 20.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-3 | 26.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 27.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-4 | 02.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 03.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-5 | 09.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 10.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-6 | 16.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 17.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-7 | 23.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 24.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-8 | 30.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 01.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-9 | 07.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 08.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-10 | 14.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 15.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-11 | 21.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 22.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-12 | 28.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 29.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-13 | 04.06.2024 | BDL | BDL | BDL | BDL | BDL |
| | 05.06.2024 | BDL | BDL | BDL | BDL | BDL |
| Minimum | | BDL | BDL | BDL | BDL | BDL |
| Maximum | | BDL | BDL | BDL | BDL | BDL |
| Average | | BDL | BDL | BDL | BDL | BDL |
| 98 percentile | | BDL | BDL | BDL | BDL | BDL |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

| Pathroudi Village | | | | | | |
|-------------------|------------|--------------------------|------------------------|------------------------|--------------------------|------------------------|
| UN-A-10 | | | | | | |
| Week | Date | Benzene | B(a)P | Cd | Cr | Hg |
| | | $\mu\text{g}/\text{m}^3$ | ng/m^3 | ng/m^3 | $\mu\text{g}/\text{m}^3$ | ng/m^3 |
| W-1 | 12.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 13.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-2 | 19.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 20.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-3 | 26.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 27.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-4 | 02.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 03.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-5 | 09.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 10.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-6 | 16.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 17.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-7 | 23.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 24.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-8 | 30.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 01.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-9 | 07.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 08.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-10 | 14.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 15.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-11 | 21.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 22.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-12 | 28.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 29.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-13 | 04.06.2024 | BDL | BDL | BDL | BDL | BDL |
| | 05.06.2024 | BDL | BDL | BDL | BDL | BDL |
| Minimum | | BDL | BDL | BDL | BDL | BDL |
| Maximum | | BDL | BDL | BDL | BDL | BDL |
| Average | | BDL | BDL | BDL | BDL | BDL |
| 98 percentile | | BDL | BDL | BDL | BDL | BDL |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

- Note –
1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
 2. The results listed referred to the tested samples and applicable parameters only.
 3. Our liability is limited to the commercial value of the test/tests carried out.
 4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

| Maintola Village | | | | | | |
|------------------|------------|--------------------------|------------------------|------------------------|--------------------------|------------------------|
| UN-A-11 | | | | | | |
| Week | Date | Benzene | B(a)P | Cd | Cr | Hg |
| | | $\mu\text{g}/\text{m}^3$ | ng/m^3 | ng/m^3 | $\mu\text{g}/\text{m}^3$ | ng/m^3 |
| W-1 | 12.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 13.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-2 | 19.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 20.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-3 | 26.03.2024 | BDL | BDL | BDL | BDL | BDL |
| | 27.03.2024 | BDL | BDL | BDL | BDL | BDL |
| W-4 | 02.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 03.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-5 | 09.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 10.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-6 | 16.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 17.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-7 | 23.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 24.04.2024 | BDL | BDL | BDL | BDL | BDL |
| W-8 | 30.04.2024 | BDL | BDL | BDL | BDL | BDL |
| | 01.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-9 | 07.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 08.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-10 | 14.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 15.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-11 | 21.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 22.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-12 | 28.05.2024 | BDL | BDL | BDL | BDL | BDL |
| | 29.05.2024 | BDL | BDL | BDL | BDL | BDL |
| W-13 | 04.06.2024 | BDL | BDL | BDL | BDL | BDL |
| | 05.06.2024 | BDL | BDL | BDL | BDL | BDL |
| Minimum | | BDL | BDL | BDL | BDL | BDL |
| Maximum | | BDL | BDL | BDL | BDL | BDL |
| Average | | BDL | BDL | BDL | BDL | BDL |
| 98 percentile | | BDL | BDL | BDL | BDL | BDL |

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.

-----**End of Report**-----



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955