



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

Annexure: 7B

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



TEST REPORT

Project Name & Address	: Urtan Coal Field, Taluka – Kotma, District – Anuppur (MP)		
Customer Name & Address	: JMS Mining Private Limited, Dongfang Electric Building 3 rd Floor, Premises 16, MAR – 1111, Action Area 1A, Newtown,		
Contact Details	: 9822438061	Customer Reference	: --
Test Report No	: NL/AIR/22	Sampling Date	: 08/03/2024 to 05/06/2024
Sample Received On	: 30/03/2024, 19/04/2024, 04/05/2024, 20/05/2024, 11/06/2024	Report Issue Date	: 26/06/2024
Sample ID.	: NL-0465/MAR24/AA-01 to AA-11 NL-0034/APR24/AA-01 to AA-11 NL-0047/MAY24/AA-01 to AA-11 NL-0077/MAY24/AA-01 to AA-11 NL-0102/JUN24/AA-01 to AA-11	Date of Test Start	: 30/03/2024, 19/04/2024, 04/05/2024, 20/05/2024, 11/06/2024
Sampling Plan Ref.	: As per Work Order	Date of Test complete	: 01/04/2024, 22/04/2024, 06/05/2024, 23/05/2024, 13/06/2024
Sampling Method Ref.	: CPCB Volume - 1	Sample Description	: Ambient Air Sample
Sampling By	: Lab	ULR No.	: TC978224000001113F
Environmental Condition at the time of Sampling	: Avg. Temperature : 29.4 °C Avg. Humidity : 47.4 % Weather condition : Sunny	Environmental Condition at the time of Testing	: Temp. : 24.8 °C : Humidity : 43 %
Sample Quantity Received (Total)	: PM10 – 286 filter paper, PM2.5 –286 filter paper, SO2, NO2 – 286 PVC Bottle each. Ammonia & Ozone – 26 PVC bottle each		

1. Chemical Testing
I. Ambient Air

DESCRIPTION LIST AMBIENT AIR SAMPLES

Sr. No.	Lab Sample code	Client Sample code	Location	Lat.	Long.	Remark
				(Northing)	(Easting)	
1	AA-01	U -A 1	Thodha Village	23°15'24.1"N	081°59'21.7"E	Core Zone
2	AA-02	U -A 2	Baskhali Village	23.243979 N	081.997635 E	Core Zone
3	AA-03	U -A 3	Mauhari Village	23°16'08.3"N	082°00'25.1"E	Core Zone
4	AA-04	U -A 4	Baskhala Village	23.268902 N	081.997264 E	Proposed Coal Washery (Urtan North)
5	AA-05	U -A 5	Gadhi Village	23.29112 N	081.985755 E	Buffer Zone
6	AA-06	U -A 6	Muddhoa Village	23.276349 N	081.973556 E	Buffer Zone
7	AA-07	U -A 7	Reula Village	23.261723 N	081.964242 E	Buffer Zone
8	AA-08	U -A 8	Urtan Village	23°19'26.5"N	081°58'28.0"E	Buffer Zone
9	AA-09	U -A 9	Manmari Village	23°14'24.4"N	082°00'28.2"E	Buffer Zone
10	AA-10	U -A 10	Pathroudi Village	23.269325 N	082.032257 E	Buffer Zone
11	AA-11	U -A 11	Maintola Village	23.25311 N	082.054172 E	Buffer Zone



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com
Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



TEST RESULTS

Thodaha Village											
U-A-1											
Week	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	O ₃	Pb	Ni	As
		µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	ng/m ³
W-1	08.03.2024	53.4	30.3	20.2	23.0	466.0	65.2	15.5	BDL	BDL	BDL
	09.03.2024	52.8	29.6	19.8	20.8	488.0	70.6	14.8	BDL	BDL	BDL
W-2	15.03.2024	51.9	28.2	17.3	19.7	444.0	66.9	15.3	BDL	BDL	BDL
	16.03.2024	50.8	30.5	20.5	19.2	488.0	75.4	13.9	BDL	BDL	BDL
W-3	22.03.2024	51.3	27.9	21.2	19.0	511.0	71.6	15.8	BDL	BDL	BDL
	23.03.2024	49.8	31.6	19.8	20.0	400.0	76.9	14.2	BDL	BDL	BDL
W-4	29.03.2024	50.2	25.9	18.8	18.2	422.0	80.5	16.9	BDL	BDL	BDL
	30.03.2024	51.7	29.8	19.7	21.9	466.0	77.8	14.8	BDL	BDL	BDL
W-5	05.04.2024	50.6	30.9	20.3	23.3	488.0	74.5	13.7	BDL	BDL	BDL
	06.04.2024	49.7	32.5	20.8	23.9	400.0	76.3	14.5	BDL	BDL	BDL
W-6	12.04.2024	48.4	27.6	18.8	26.8	466.0	73.1	16.3	BDL	BDL	BDL
	13.04.2024	47.2	29.4	21.3	25.1	511.0	82.4	15.9	BDL	BDL	BDL
W-7	19.04.2024	51.4	25.5	23.6	23.2	466.0	77.2	19.1	BDL	BDL	BDL
	20.04.2024	52.3	33.2	25.2	25.1	400.0	67.8	17.2	BDL	BDL	BDL
W-8	26.04.2024	54.8	34.8	21.7	25.8	444.0	68.9	19.5	BDL	BDL	BDL
	27.04.2024	52.9	31.8	22.6	27.1	533.0	61.1	20.2	BDL	BDL	BDL
W-9	03.05.2024	57.6	30.9	23.2	25.9	444.0	67.8	19.4	BDL	BDL	BDL
	04.05.2024	56.9	28.2	24.8	23.7	466.0	73.2	20.5	BDL	BDL	BDL
W-10	10.05.2024	54.7	30.4	20.5	22.6	400.0	69.5	17.5	BDL	BDL	BDL
	11.05.2024	54.2	32.6	22.3	22.1	488.0	78.0	16.1	BDL	BDL	BDL
W-11	17.05.2024	53.9	33.4	21.9	21.9	466.0	74.2	17.5	BDL	BDL	BDL
	18.05.2024	55.8	31.2	19.8	22.9	466.0	79.5	16.3	BDL	BDL	BDL
W-12	24.05.2024	50.4	28.8	24.4	21.1	400.0	83.1	17.8	BDL	BDL	BDL
	25.05.2024	53.9	30.7	23.2	24.8	444.0	80.4	18.9	BDL	BDL	BDL
W-13	31.05.2024	50.8	32.2	20.1	26.2	488.0	77.1	20.5	BDL	BDL	BDL
	01.06.2024	53.4	31.7	18.7	26.8	400.0	78.9	20.6	BDL	BDL	BDL
Minimum		47.2	25.5	17.3	18.2	400.0	61.1	13.7	BDL	BDL	BDL
Maximum		57.6	34.8	25.2	27.1	533.0	83.1	20.6	BDL	BDL	BDL
Average		52.3	30.4	21.2	23.1	456.0	74.2	17.0	BDL	BDL	BDL
98 percentile		57.3	34.1	25.0	27.0	522.0	82.8	20.6	BDL	BDL	BDL
Limits As Per MoEF gazette notification GSR/826(E)		100	60	80	80	2000	400	100	1.0	20	06

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note -

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



Baskhali Village											
U-A-2											
Week	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	O ₃	Pb	Ni	As
		µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	ng/m ³
W-1	08.03.2024	58.2	34.2	20.8	31.2	644.0	80.6	20.3	BDL	BDL	BDL
	09.03.2024	58.6	34.5	20.9	31.4	688.0	86.0	21.2	BDL	BDL	BDL
W-2	15.03.2024	59.4	34.9	21.2	31.8	711.0	82.3	17.9	BDL	BDL	BDL
	16.03.2024	60.3	35.5	21.5	32.3	688.0	90.8	16.1	BDL	BDL	BDL
W-3	22.03.2024	58.8	34.6	21.0	31.5	622.0	87.0	17.4	BDL	BDL	BDL
	23.03.2024	57.5	33.8	20.5	30.8	644.0	92.3	17.6	BDL	BDL	BDL
W-4	29.03.2024	61.6	36.2	22.0	33.0	733.0	95.9	18.6	BDL	BDL	BDL
	30.03.2024	59.9	35.2	21.4	32.1	755.0	93.2	19.0	BDL	BDL	BDL
W-5	05.04.2024	60.7	35.7	21.7	32.5	711.0	89.9	17.9	BDL	BDL	BDL
	06.04.2024	61.9	36.4	22.1	33.2	644.0	91.7	17.7	BDL	BDL	BDL
W-6	12.04.2024	59.1	34.8	21.1	31.7	688.0	89.3	23.8	BDL	BDL	BDL
	13.04.2024	60.8	35.8	21.7	32.6	711.0	98.6	23.4	BDL	BDL	BDL
W-7	19.04.2024	60.2	35.4	21.5	32.3	644.0	93.4	25.8	BDL	BDL	BDL
	20.04.2024	58.0	34.1	20.7	31.1	622.0	84.0	23.9	BDL	BDL	BDL
W-8	26.04.2024	56.9	33.5	20.3	30.5	688.0	85.1	24.7	BDL	BDL	BDL
	27.04.2024	59.4	34.9	21.2	31.8	644.0	77.3	23.4	BDL	BDL	BDL
W-9	03.05.2024	60.8	35.8	21.7	32.6	622.0	84.0	24.1	BDL	BDL	BDL
	04.05.2024	61.2	36.0	21.9	32.8	644.0	89.4	25.0	BDL	BDL	BDL
W-10	10.05.2024	62.0	36.5	22.1	33.2	711.0	85.7	21.7	BDL	BDL	BDL
	11.05.2024	62.9	37.0	22.5	33.7	688.0	94.2	19.9	BDL	BDL	BDL
W-11	17.05.2024	61.4	36.1	21.9	32.9	777.0	90.4	21.2	BDL	BDL	BDL
	18.05.2024	60.1	35.4	21.5	32.2	755.0	95.7	21.4	BDL	BDL	BDL
W-12	24.05.2024	64.2	37.8	22.9	34.4	688.0	99.3	22.4	BDL	BDL	BDL
	25.05.2024	62.5	36.8	22.3	33.5	711.0	96.6	22.8	BDL	BDL	BDL
W-13	31.05.2024	63.3	37.2	22.6	33.9	644.0	93.3	21.7	BDL	BDL	BDL
	01.06.2024	64.5	37.9	23.0	34.6	622.0	95.1	21.5	BDL	BDL	BDL
Minimum		56.9	33.5	20.3	30.5	622.0	77.3	16.1	BDL	BDL	BDL
Maximum		64.5	37.9	23.0	34.6	777.0	99.3	25.8	BDL	BDL	BDL
Average		60.5	35.6	21.6	32.4	680.7	90.0	21.2	BDL	BDL	BDL
98 percentile		64.4	37.9	23.0	34.5	766.0	99.0	25.4	BDL	BDL	BDL
Limits As Per MoEF gazette notification GSR/826(E)		100	60	80	80	2000	400	100	1.0	20	06

For M/s Nilawar Laboratories,



Dinesh Bangadkar
(Authorized Signatory)

Note -

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



Mauhari Village

U-A-3

Week	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	O ₃	Pb	Ni	As
		µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	ng/m ³
W-1	08.03.2024	51.8	28.7	19.2	23.0	333.0	45.3	10.9	BDL	BDL	BDL
	09.03.2024	53.6	29.8	19.9	23.8	355.0	50.7	11.8	BDL	BDL	BDL
W-2	15.03.2024	52.5	29.2	19.4	23.3	333.0	47.0	8.5	BDL	BDL	BDL
	16.03.2024	50.5	28.1	18.7	22.4	377.0	55.5	6.7	BDL	BDL	BDL
W-3	22.03.2024	51.3	28.5	19.0	22.8	311.0	51.7	8.0	BDL	BDL	BDL
	23.03.2024	52.4	29.1	19.4	23.3	333.0	57.0	8.2	BDL	BDL	BDL
W-4	29.03.2024	52.6	29.2	19.5	23.4	377.0	60.6	9.2	BDL	BDL	BDL
	30.03.2024	52.8	29.3	19.6	23.5	400.0	57.9	9.6	BDL	BDL	BDL
W-5	05.04.2024	49.5	27.5	18.3	22.0	311.0	54.6	8.5	BDL	BDL	BDL
	06.04.2024	50.6	28.1	18.7	22.5	400.0	56.4	8.3	BDL	BDL	BDL
W-6	12.04.2024	55.7	30.9	20.6	24.8	333.0	53.8	13.5	BDL	BDL	BDL
	13.04.2024	54.4	30.2	20.1	24.2	377.0	63.1	13.1	BDL	BDL	BDL
W-7	19.04.2024	55.2	30.7	20.4	24.5	333.0	57.9	15.5	BDL	BDL	BDL
	20.04.2024	55.7	30.9	20.6	24.8	355.0	48.5	13.6	BDL	BDL	BDL
W-8	26.04.2024	54.1	30.1	20.0	24.0	377.0	49.6	14.4	BDL	BDL	BDL
	27.04.2024	55.3	30.7	20.5	24.6	333.0	41.8	13.1	BDL	BDL	BDL
W-9	03.05.2024	55.6	30.9	20.6	24.7	400.0	48.5	13.8	BDL	BDL	BDL
	04.05.2024	56.2	31.2	20.8	25.0	377.0	53.9	14.7	BDL	BDL	BDL
W-10	10.05.2024	56.3	31.3	20.9	25.0	333.0	50.2	11.4	BDL	BDL	BDL
	11.05.2024	54.3	30.2	20.1	24.1	355.0	58.7	9.6	BDL	BDL	BDL
W-11	17.05.2024	55.1	30.6	20.4	24.5	377.0	54.9	10.9	BDL	BDL	BDL
	18.05.2024	56.2	31.2	20.8	25.0	355.0	60.2	11.1	BDL	BDL	BDL
W-12	24.05.2024	56.4	31.3	20.9	25.1	400.0	63.8	12.1	BDL	BDL	BDL
	25.05.2024	56.5	31.4	20.9	25.1	377.0	61.1	12.5	BDL	BDL	BDL
W-13	31.05.2024	53.3	29.6	19.7	23.7	311.0	57.8	11.4	BDL	BDL	BDL
	01.06.2024	54.4	30.2	20.1	24.2	333.0	59.6	11.2	BDL	BDL	BDL
Minimum		49.5	27.5	18.3	22.0	311.0	41.8	6.7	BDL	BDL	BDL
Maximum		56.5	31.4	20.9	25.1	400.0	63.8	15.5	BDL	BDL	BDL
Average		53.9	30.0	20.0	24.0	356.0	54.6	11.2	BDL	BDL	BDL
98 percentile		56.5	31.4	20.9	25.1	400.0	63.5	15.1	BDL	BDL	BDL
Limits As Per MoEF gazette notification GSR/826(E)		100	60	80	80	2000	400	100	1.0	20	06

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

- Note –
1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
 2. The results listed referred to the tested samples and applicable parameters only.
 3. Our liability is limited to the commercial value of the test/tests carried out.
 4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



Baskhala Village											
U-A-4											
Week	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	O ₃	Pb	Ni	As
		µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	ng/m ³
W-1	08.03.2024	57.0	33.5	22.8	29.6	844.0	114.6	27.1	BDL	BDL	BDL
	09.03.2024	60.9	35.8	24.4	31.7	866.0	120.6	28.0	BDL	BDL	BDL
W-2	15.03.2024	62.4	36.7	24.9	32.4	822.0	116.5	24.7	BDL	BDL	BDL
	16.03.2024	62.6	36.8	25.0	32.5	777.0	125.8	22.9	BDL	BDL	BDL
W-3	22.03.2024	64.4	37.9	25.7	33.5	800.0	121.7	24.2	BDL	BDL	BDL
	23.03.2024	62.7	36.9	25.1	32.6	822.0	127.5	24.4	BDL	BDL	BDL
W-4	29.03.2024	61.6	36.2	24.6	32.0	866.0	131.5	25.4	BDL	BDL	BDL
	30.03.2024	59.3	34.9	23.7	30.8	888.0	128.5	25.8	BDL	BDL	BDL
W-5	05.04.2024	58.4	34.4	23.4	30.4	844.0	124.9	24.7	BDL	BDL	BDL
	06.04.2024	59.8	35.2	23.9	31.1	800.0	126.8	24.5	BDL	BDL	BDL
W-6	12.04.2024	64.1	37.7	25.7	33.3	888.0	133.7	29.0	BDL	BDL	BDL
	13.04.2024	63.8	37.5	25.5	33.2	866.0	143.9	28.6	BDL	BDL	BDL
W-7	19.04.2024	60.6	35.7	24.2	31.5	822.0	138.2	31.0	BDL	BDL	BDL
	20.04.2024	62.7	36.9	25.1	32.6	777.0	127.8	29.1	BDL	BDL	BDL
W-8	26.04.2024	64.2	37.8	25.7	33.4	822.0	129.0	29.9	BDL	BDL	BDL
	27.04.2024	63.8	37.5	25.5	33.2	844.0	120.5	28.6	BDL	BDL	BDL
W-9	03.05.2024	61.5	36.2	24.6	32.0	866.0	127.8	29.3	BDL	BDL	BDL
	04.05.2024	65.5	38.5	26.2	34.0	800.0	133.8	30.2	BDL	BDL	BDL
W-10	10.05.2024	66.9	39.3	26.8	34.8	822.0	129.7	26.9	BDL	BDL	BDL
	11.05.2024	67.1	39.5	26.8	34.9	866.0	139.0	25.1	BDL	BDL	BDL
W-11	17.05.2024	68.9	40.5	27.5	35.8	844.0	134.9	26.4	BDL	BDL	BDL
	18.05.2024	67.2	39.5	26.9	34.9	800.0	140.7	26.6	BDL	BDL	BDL
W-12	24.05.2024	66.1	38.9	26.4	34.4	866.0	144.7	27.6	BDL	BDL	BDL
	25.05.2024	63.8	37.5	25.5	33.2	888.0	141.7	28.0	BDL	BDL	BDL
W-13	31.05.2024	62.9	37.0	25.2	32.7	866.0	138.1	26.9	BDL	BDL	BDL
	01.06.2024	64.4	37.9	25.7	33.5	822.0	140.0	26.7	BDL	BDL	BDL
Minimum		57.0	33.5	22.8	29.6	777.0	114.6	22.9	BDL	BDL	BDL
Maximum		68.9	40.5	27.5	35.8	888.0	144.7	31.0	BDL	BDL	BDL
Average		63.2	37.2	25.3	32.8	838.0	130.8	27.0	BDL	BDL	BDL
98 percentile		68.1	40.0	27.2	35.4	888.0	144.3	30.6	BDL	BDL	BDL
Limits As Per MoEF gazette notification GSR/826(E)		100	60	80	80	2000	400	100	1.0	20	06

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note -

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



Gadhi Village											
U-A-5											
Week	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	O ₃	Pb	Ni	As
		µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	ng/m ³
W-1	10.03.2024	58.7	32.6	23.5	32.9	822.0	94.7	22.3	BDL	BDL	BDL
	11.03.2024	59.9	33.3	24.0	33.6	755.0	100.1	23.2	BDL	BDL	BDL
W-2	17.03.2024	58.2	32.4	23.3	32.6	800.0	96.4	19.9	BDL	BDL	BDL
	18.03.2024	59.1	32.9	23.7	33.1	844.0	104.9	18.1	BDL	BDL	BDL
W-3	24.03.2024	59.7	33.2	23.9	33.5	866.0	101.1	19.4	BDL	BDL	BDL
	25.03.2024	60.9	33.9	24.4	34.1	888.0	106.4	19.6	BDL	BDL	BDL
W-4	31.03.2024	62.7	34.9	25.1	35.1	911.0	110.0	20.6	BDL	BDL	BDL
	01.04.2024	62.1	34.5	24.9	34.8	844.0	107.3	21.0	BDL	BDL	BDL
W-5	07.04.2024	59.9	33.3	24.0	33.6	888.0	104.0	19.9	BDL	BDL	BDL
	08.04.2024	58.3	32.4	23.3	32.7	822.0	105.8	19.7	BDL	BDL	BDL
W-6	14.04.2024	64.8	36.0	25.9	36.3	755.0	101.9	21.3	BDL	BDL	BDL
	15.04.2024	64.3	35.7	25.7	36.0	888.0	111.2	20.9	BDL	BDL	BDL
W-7	21.04.2024	62.1	34.5	24.9	34.8	822.0	106.0	23.3	BDL	BDL	BDL
	22.04.2024	60.9	33.9	24.4	34.1	888.0	96.6	21.4	BDL	BDL	BDL
W-8	28.04.2024	59.8	33.2	23.9	33.5	844.0	97.7	22.2	BDL	BDL	BDL
	29.04.2024	59.5	33.1	23.8	33.3	911.0	89.9	20.9	BDL	BDL	BDL
W-9	05.05.2024	60.6	33.7	24.3	34.0	888.0	96.6	21.6	BDL	BDL	BDL
	06.05.2024	61.8	34.4	24.7	34.6	755.0	102.0	22.5	BDL	BDL	BDL
W-10	12.05.2024	60.1	33.4	24.1	33.7	800.0	98.3	19.2	BDL	BDL	BDL
	13.05.2024	61.0	33.9	24.4	34.2	755.0	106.8	17.4	BDL	BDL	BDL
W-11	19.05.2024	61.6	34.2	24.7	34.5	844.0	103.0	18.7	BDL	BDL	BDL
	20.05.2024	62.8	34.9	25.1	35.2	822.0	108.3	18.9	BDL	BDL	BDL
W-12	26.05.2024	64.6	35.9	25.9	36.2	888.0	111.9	19.9	BDL	BDL	BDL
	27.05.2024	64.0	35.6	25.6	35.9	866.0	109.2	20.3	BDL	BDL	BDL
W-13	02.06.2024	61.8	34.4	24.7	34.6	755.0	105.9	19.2	BDL	BDL	BDL
	03.06.2024	60.2	33.5	24.1	33.7	800.0	107.7	19.0	BDL	BDL	BDL
Minimum		58.2	32.4	23.3	32.6	755.0	89.9	17.4	BDL	BDL	BDL
Maximum		64.8	36.0	25.9	36.3	911.0	111.9	23.3	BDL	BDL	BDL
Average		61.2	34.0	24.5	34.3	835.4	103.2	20.4	BDL	BDL	BDL
98 percentile		64.7	36.0	25.9	36.3	911.0	111.6	23.3	BDL	BDL	BDL
Limits As Per MoEF gazette notification GSR/826(E)		100	60	80	80	2000	400	100	1.0	20	06

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note -

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



Muddhoa Village

U-A-6

Week	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	O ₃	Pb	Ni	As
		µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	ng/m ³
W-1	10.03.2024	55.1	36.7	26.2	28.9	688.0	57.7	19.0	BDL	BDL	BDL
	11.03.2024	57.0	38.0	27.1	29.9	666.0	63.1	19.9	BDL	BDL	BDL
W-2	17.03.2024	57.6	38.4	27.4	30.2	644.0	59.4	16.6	BDL	BDL	BDL
	18.03.2024	56.8	37.9	27.0	29.8	733.0	67.9	14.8	BDL	BDL	BDL
W-3	24.03.2024	52.9	35.3	25.2	27.7	688.0	64.1	16.1	BDL	BDL	BDL
	25.03.2024	55.9	37.3	26.6	29.3	622.0	69.4	16.3	BDL	BDL	BDL
W-4	31.03.2024	57.2	38.1	27.2	30.0	711.0	73.0	17.3	BDL	BDL	BDL
	01.04.2024	57.6	38.4	27.4	30.2	733.0	70.3	17.7	BDL	BDL	BDL
W-5	07.04.2024	57.3	38.2	27.3	30.0	733.0	67.0	16.6	BDL	BDL	BDL
	08.04.2024	55.2	36.8	26.3	28.9	711.0	68.8	16.4	BDL	BDL	BDL
W-6	14.04.2024	59.0	39.3	28.1	30.9	688.0	55.0	17.8	BDL	BDL	BDL
	15.04.2024	60.1	40.1	28.6	31.5	622.0	64.3	17.4	BDL	BDL	BDL
W-7	21.04.2024	56.9	37.9	27.1	29.8	644.0	59.1	19.8	BDL	BDL	BDL
	22.04.2024	57.8	38.5	27.5	30.3	666.0	49.7	17.9	BDL	BDL	BDL
W-8	28.04.2024	56.3	37.5	26.8	29.5	688.0	50.8	18.7	BDL	BDL	BDL
	29.04.2024	55.5	37.0	26.4	29.1	644.0	43.0	17.4	BDL	BDL	BDL
W-9	05.05.2024	57.4	38.3	27.3	30.1	688.0	49.7	18.1	BDL	BDL	BDL
	06.05.2024	59.3	39.5	28.2	31.1	644.0	55.1	19.0	BDL	BDL	BDL
W-10	12.05.2024	59.9	39.9	28.5	31.4	622.0	51.4	15.7	BDL	BDL	BDL
	13.05.2024	59.1	39.4	28.1	31.0	644.0	59.9	13.9	BDL	BDL	BDL
W-11	19.05.2024	55.2	36.8	26.3	28.9	711.0	56.1	15.2	BDL	BDL	BDL
	20.05.2024	58.2	38.8	27.7	30.5	733.0	61.4	15.4	BDL	BDL	BDL
W-12	26.05.2024	59.5	39.7	28.3	31.2	688.0	65.0	16.4	BDL	BDL	BDL
	27.05.2024	59.9	39.9	28.5	31.4	711.0	62.3	16.8	BDL	BDL	BDL
W-13	02.06.2024	59.6	39.7	28.4	31.2	644.0	59.0	15.7	BDL	BDL	BDL
	03.06.2024	57.5	38.3	27.4	30.1	711.0	60.8	15.5	BDL	BDL	BDL
Minimum		52.9	35.3	25.2	27.7	622.0	43.0	13.9	BDL	BDL	BDL
Maximum		60.1	40.1	28.6	31.5	733.0	73.0	19.9	BDL	BDL	BDL
Average		57.5	38.3	27.3	30.1	679.9	60.1	17.0	BDL	BDL	BDL
98 percentile		60.0	40.0	28.6	31.5	733.0	71.7	19.9	BDL	BDL	BDL
Limits As Per MoEF gazette notification GSR/826(E)		100	60	80	80	2000	400	100	1.0	20	06

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note -

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



Reula Village											
U-A-7											
Week	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	O ₃	Pb	Ni	As
		µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	ng/m ³
W-1	10.03.2024	64.6	38.0	26.9	35.0	888.0	78.4	22.5	BDL	BDL	BDL
	11.03.2024	62.2	36.6	25.9	33.7	866.0	83.8	23.4	BDL	BDL	BDL
W-2	17.03.2024	63.3	37.2	26.4	34.3	822.0	80.1	20.1	BDL	BDL	BDL
	18.03.2024	64.2	37.8	26.8	34.8	911.0	88.6	18.3	BDL	BDL	BDL
W-3	24.03.2024	62.7	36.9	26.1	34.0	800.0	84.8	19.6	BDL	BDL	BDL
	25.03.2024	64.8	38.1	27.0	35.1	777.0	90.1	19.8	BDL	BDL	BDL
W-4	31.03.2024	62.9	37.0	26.2	34.1	888.0	93.7	20.8	BDL	BDL	BDL
	01.04.2024	63.2	37.2	26.3	34.2	866.0	91.0	21.2	BDL	BDL	BDL
W-5	07.04.2024	66.7	37.6	27.8	36.1	777.0	87.7	20.1	BDL	BDL	BDL
	08.04.2024	64.0	37.6	26.7	34.7	800.0	89.5	19.9	BDL	BDL	BDL
W-6	14.04.2024	66.5	37.4	27.7	36.0	933.0	79.6	20.0	BDL	BDL	BDL
	15.04.2024	67.4	37.6	28.1	36.5	911.0	88.9	19.6	BDL	BDL	BDL
W-7	21.04.2024	68.3	37.5	28.5	37.0	888.0	83.7	22.0	BDL	BDL	BDL
	22.04.2024	68.5	36.2	28.5	37.1	911.0	74.3	20.1	BDL	BDL	BDL
W-8	28.04.2024	65.3	38.4	27.2	35.4	866.0	75.4	20.9	BDL	BDL	BDL
	29.04.2024	68.2	37.4	28.4	36.9	888.0	67.6	19.6	BDL	BDL	BDL
W-9	05.05.2024	67.7	37.5	28.2	36.7	777.0	74.3	20.3	BDL	BDL	BDL
	06.05.2024	65.3	38.4	27.2	35.4	800.0	79.7	21.2	BDL	BDL	BDL
W-10	12.05.2024	66.4	37.5	27.7	36.0	866.0	76.0	17.9	BDL	BDL	BDL
	13.05.2024	67.3	38.2	28.0	36.5	911.0	84.5	16.1	BDL	BDL	BDL
W-11	19.05.2024	65.8	38.7	27.4	35.6	822.0	80.7	17.4	BDL	BDL	BDL
	20.05.2024	67.9	38.4	28.3	36.8	800.0	86.0	17.6	BDL	BDL	BDL
W-12	26.05.2024	66.0	38.8	27.5	35.8	777.0	89.6	18.6	BDL	BDL	BDL
	27.05.2024	66.3	37.4	27.6	35.9	755.0	86.9	19.0	BDL	BDL	BDL
W-13	02.06.2024	66.2	38.9	27.6	35.9	888.0	83.6	17.9	BDL	BDL	BDL
	03.06.2024	67.1	38.2	28.0	36.3	866.0	85.4	17.7	BDL	BDL	BDL
Minimum		62.2	36.2	25.9	33.7	755.0	67.6	16.1	BDL	BDL	BDL
Maximum		68.5	38.9	28.5	37.1	933.0	93.7	23.4	BDL	BDL	BDL
Average		65.7	37.7	27.4	35.6	848.2	83.2	19.7	BDL	BDL	BDL
98 percentile		68.4	38.9	28.5	37.1	922.0	92.4	23.0	BDL	BDL	BDL
Limits As Per MoEF gazette notification GSR/826(E)		100	60	80	80	2000	400	100	1.0	20	06

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

- Note –
1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
 2. The results listed referred to the tested samples and applicable parameters only.
 3. Our liability is limited to the commercial value of the test/tests carried out.
 4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com
Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



Urtan Village											
U-A-8											
Week	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	O ₃	Pb	Ni	As
		µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	ng/m ³
W-1	10.03.2024	52.8	33.0	19.6	29.3	377.0	59.00	16.0	BDL	BDL	BDL
	11.03.2024	51.6	32.3	19.1	28.7	355.0	64.40	16.9	BDL	BDL	BDL
W-2	17.03.2024	52.0	32.5	19.3	28.9	333.0	60.70	13.6	BDL	BDL	BDL
	18.03.2024	53.9	33.7	20.0	29.9	288.0	69.20	11.8	BDL	BDL	BDL
W-3	24.03.2024	53.1	33.2	19.7	29.5	333.0	65.40	13.1	BDL	BDL	BDL
	25.03.2024	54.0	33.8	20.0	30.0	311.0	70.70	13.3	BDL	BDL	BDL
W-4	31.03.2024	50.6	31.6	18.7	28.1	355.0	74.30	14.3	BDL	BDL	BDL
	01.04.2024	48.8	30.5	18.1	27.1	377.0	71.60	14.7	BDL	BDL	BDL
W-5	07.04.2024	49.7	31.1	18.4	27.6	400.0	68.30	13.6	BDL	BDL	BDL
	08.04.2024	50.9	31.8	18.9	28.3	422.0	70.10	13.4	BDL	BDL	BDL
W-6	14.04.2024	52.9	33.1	19.6	29.4	444.0	66.80	17.2	BDL	BDL	BDL
	15.04.2024	55.0	34.4	20.4	30.6	377.0	76.10	16.8	BDL	BDL	BDL
W-7	21.04.2024	52.5	32.8	19.4	29.2	355.0	70.90	19.2	BDL	BDL	BDL
	22.04.2024	54.4	34.0	20.1	30.2	355.0	61.50	17.3	BDL	BDL	BDL
W-8	28.04.2024	52.3	32.7	19.4	29.1	400.0	62.60	18.1	BDL	BDL	BDL
	29.04.2024	52.9	33.1	19.6	29.4	311.0	54.80	16.8	BDL	BDL	BDL
W-9	05.05.2024	55.3	34.6	20.5	30.7	288.0	61.50	17.5	BDL	BDL	BDL
	06.05.2024	54.1	33.8	20.0	30.1	377.0	66.90	18.4	BDL	BDL	BDL
W-10	12.05.2024	54.5	34.1	20.2	30.3	355.0	63.20	15.1	BDL	BDL	BDL
	13.05.2024	56.4	35.3	20.9	31.3	288.0	71.70	13.3	BDL	BDL	BDL
W-11	19.05.2024	55.6	34.8	20.6	30.9	222.0	67.90	14.6	BDL	BDL	BDL
	20.05.2024	56.5	35.3	20.9	31.4	266.0	73.20	14.8	BDL	BDL	BDL
W-12	26.05.2024	53.1	33.2	19.7	29.5	288.0	76.80	15.8	BDL	BDL	BDL
	27.05.2024	51.3	32.1	19.0	28.5	266.0	74.10	16.2	BDL	BDL	BDL
W-13	02.06.2024	52.2	32.6	19.3	29.0	333.0	70.80	15.1	BDL	BDL	BDL
	03.06.2024	53.4	33.4	19.8	29.7	288.0	72.60	14.9	BDL	BDL	BDL
Minimum		48.8	30.5	18.1	27.1	222.0	54.8	11.8	BDL	BDL	BDL
Maximum		56.5	35.3	20.9	31.4	444.0	76.8	19.2	BDL	BDL	BDL
Average		53.1	33.2	19.7	29.5	337.1	67.9	15.5	BDL	BDL	BDL
98 percentile		56.5	35.3	20.9	31.4	433.0	76.5	18.8	BDL	BDL	BDL
Limits As Per MoEF gazette notification GSR/826(E)		100	60	80	80	2000	400	100	1.0	20	06

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note -

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



Manmari Village											
U-A-9											
Week	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	O ₃	Pb	Ni	As
		µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	ng/m ³
W-1	12.03.2024	58.0	35.4	22.0	30.8	800.0	81.4	36.3	BDL	BDL	BDL
	13.03.2024	57.2	35.7	20.9	29.3	822.0	86.8	37.2	BDL	BDL	BDL
W-2	19.03.2024	58.3	34.5	21.6	30.2	777.0	83.1	33.9	BDL	BDL	BDL
	20.03.2024	56.0	35.1	23.0	32.2	844.0	91.6	32.1	BDL	BDL	BDL
W-3	26.03.2024	58.1	36.0	21.7	30.4	822.0	87.8	33.4	BDL	BDL	BDL
	27.03.2024	59.7	37.4	24.1	33.7	777.0	93.1	33.6	BDL	BDL	BDL
W-4	02.04.2024	57.8	35.1	23.2	32.5	844.0	96.7	34.6	BDL	BDL	BDL
	03.04.2024	55.6	34.5	23.6	33.0	866.0	94.0	35.0	BDL	BDL	BDL
W-5	09.04.2024	55.3	35.2	21.8	30.5	911.0	90.7	33.9	BDL	BDL	BDL
	10.04.2024	56.0	37.4	22.7	31.8	933.0	92.5	33.7	BDL	BDL	BDL
W-6	16.04.2024	60.7	36.4	25.9	36.3	888.0	83.0	32.8	BDL	BDL	BDL
	17.04.2024	60.3	35.7	24.5	34.3	866.0	92.3	32.4	BDL	BDL	BDL
W-7	23.04.2024	58.4	32.8	23.8	33.3	822.0	87.1	34.8	BDL	BDL	BDL
	24.04.2024	57.4	35.7	25.5	35.7	777.0	77.7	32.9	BDL	BDL	BDL
W-8	30.04.2024	59.8	34.5	22.5	31.5	800.0	78.8	33.7	BDL	BDL	BDL
	01.05.2024	61.3	33.8	20.9	29.3	822.0	71.0	32.4	BDL	BDL	BDL
W-9	07.05.2024	60.1	33.7	19.6	27.4	844.0	77.7	33.1	BDL	BDL	BDL
	08.05.2024	59.3	34.0	18.5	25.9	822.0	83.1	34.0	BDL	BDL	BDL
W-10	14.05.2024	60.4	32.8	19.2	26.9	777.0	79.4	30.7	BDL	BDL	BDL
	15.05.2024	58.1	33.4	20.6	28.8	844.0	87.9	28.9	BDL	BDL	BDL
W-11	21.05.2024	60.2	34.3	19.3	27.0	866.0	84.1	30.2	BDL	BDL	BDL
	22.05.2024	61.8	35.7	21.7	30.4	822.0	89.4	30.4	BDL	BDL	BDL
W-12	28.05.2024	59.9	33.4	20.8	29.1	844.0	93.0	31.4	BDL	BDL	BDL
	29.05.2024	57.7	32.8	21.2	29.7	822.0	90.3	31.8	BDL	BDL	BDL
W-13	04.06.2024	57.4	33.5	19.4	27.2	777.0	87.0	30.7	BDL	BDL	BDL
	05.06.2024	58.1	35.7	20.3	28.4	800.0	88.8	30.5	BDL	BDL	BDL
Minimum		55.3	32.8	18.5	25.9	777.0	71.0	28.9	BDL	BDL	BDL
Maximum		61.8	37.4	25.9	36.3	933.0	96.7	37.2	BDL	BDL	BDL
Average		58.6	34.8	21.9	30.6	830.3	86.5	32.9	BDL	BDL	BDL
98 percentile		61.6	37.4	25.7	36.0	922.0	95.4	36.8	BDL	BDL	BDL
Limits As Per MoEF gazette notification GSR/826(E)		100	60	80	80	2000	400	100	1.0	20	06

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

- Note –
1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
 2. The results listed referred to the tested samples and applicable parameters only.
 3. Our liability is limited to the commercial value of the test/tests carried out.
 4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com
Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



Pathroudi Village											
U-A-10											
Week	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	O ₃	Pb	Ni	As
		µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ³	ng/m ³
W-1	12.03.2024	59.5	33.1	22.0	28.6	622.0	58.0	18.0	BDL	BDL	BDL
	13.03.2024	57.0	31.7	21.1	27.4	666.0	63.4	18.9	BDL	BDL	BDL
W-2	19.03.2024	56.8	31.6	21.0	27.3	600.0	59.7	15.6	BDL	BDL	BDL
	20.03.2024	60.3	33.5	22.3	29.0	511.0	68.2	13.8	BDL	BDL	BDL
W-3	26.03.2024	57.0	31.7	21.1	27.4	577.0	64.4	15.1	BDL	BDL	BDL
	27.03.2024	60.5	33.6	22.4	29.1	688.0	69.7	15.3	BDL	BDL	BDL
W-4	02.04.2024	62.4	34.7	23.1	30.0	666.0	73.3	16.3	BDL	BDL	BDL
	03.04.2024	63.3	35.2	23.4	30.5	555.0	70.6	16.7	BDL	BDL	BDL
W-5	09.04.2024	60.8	33.8	22.5	29.3	622.0	67.3	15.6	BDL	BDL	BDL
	10.04.2024	59.5	33.1	22.0	28.6	600.0	69.1	15.4	BDL	BDL	BDL
W-6	16.04.2024	60.3	33.5	22.3	29.0	622.0	61.9	18.4	BDL	BDL	BDL
	17.04.2024	62.4	34.7	23.1	30.0	555.0	71.2	18.0	BDL	BDL	BDL
W-7	23.04.2024	63.7	35.4	23.6	30.7	666.0	66.0	20.4	BDL	BDL	BDL
	24.04.2024	64.5	35.8	23.9	31.1	688.0	56.6	18.5	BDL	BDL	BDL
W-8	30.04.2024	63.2	35.1	23.4	30.4	555.0	57.7	19.3	BDL	BDL	BDL
	01.05.2024	65.8	36.6	24.4	31.7	600.0	49.9	18.0	BDL	BDL	BDL
W-9	07.05.2024	62.9	34.9	23.3	30.3	622.0	56.6	18.7	BDL	BDL	BDL
	08.05.2024	60.4	33.6	22.4	29.1	644.0	62.0	19.6	BDL	BDL	BDL
W-10	14.05.2024	60.2	33.4	22.3	29.0	688.0	58.3	16.3	BDL	BDL	BDL
	15.05.2024	63.7	35.4	23.6	30.7	577.0	66.8	14.5	BDL	BDL	BDL
W-11	21.05.2024	60.4	33.6	22.4	29.1	555.0	63.0	15.8	BDL	BDL	BDL
	22.05.2024	63.9	35.5	23.7	30.8	600.0	68.3	16.0	BDL	BDL	BDL
W-12	28.05.2024	65.8	36.6	24.4	31.7	666.0	71.9	17.0	BDL	BDL	BDL
	29.05.2024	66.7	37.1	24.7	32.1	688.0	69.2	17.4	BDL	BDL	BDL
W-13	04.06.2024	64.2	35.7	23.8	30.9	511.0	65.9	16.3	BDL	BDL	BDL
	05.06.2024	62.9	34.9	23.3	30.3	600.0	67.7	16.1	BDL	BDL	BDL
Minimum		56.8	31.6	21.0	27.3	511.0	49.9	13.8	BDL	BDL	BDL
Maximum		66.7	37.1	24.7	32.1	688.0	73.3	20.4	BDL	BDL	BDL
Average		61.9	34.4	22.9	29.8	613.2	64.5	17.0	BDL	BDL	BDL
98 percentile		66.3	36.9	24.6	31.9	688.0	72.6	20.0	BDL	BDL	BDL
Limits As Per MoEF gazette notification GSR/826(E)		100	60	80	80	2000	400	100	1.0	20	06

For M/s Nilawar Laboratories,



Dinesh Bangadkar
(Authorized Signatory)

- Note –
1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
 2. The results listed referred to the tested samples and applicable parameters only.
 3. Our liability is limited to the commercial value of the test/tests carried out.
 4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com
Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

NABL ACCREDITED LAB VIDE - TC-9782
CIN No. U74140MH112009PTC196108



Maintola Village											
U-A-11											
Week	Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	NH ₃	O ₃	Pb	Ni	As
		µg/m ³	µg/m ³	µg/m ³	µg/m ³	µg/m ⁴	µg/m ⁵	µg/m ⁶	µg/m ³	ng/m ³	ng/m ³
W-1	12.03.2024	60.2	39.0	20.7	28.1	555.0	82.8	28.3	BDL	BDL	BDL
	13.03.2024	60.6	40.3	21.6	26.6	622.0	88.2	29.2	BDL	BDL	BDL
W-2	19.03.2024	61.3	40.0	22.5	27.5	688.0	84.5	25.9	BDL	BDL	BDL
	20.03.2024	61.8	38.6	23.3	28.0	600.0	93.0	24.1	BDL	BDL	BDL
W-3	26.03.2024	62.5	37.5	24.5	29.4	511.0	89.2	25.4	BDL	BDL	BDL
	27.03.2024	63.8	38.4	25.7	30.0	488.0	94.5	25.6	BDL	BDL	BDL
W-4	02.04.2024	65.7	40.0	23.6	28.2	555.0	98.1	26.3	BDL	BDL	BDL
	03.04.2024	64.6	40.3	22.8	26.6	511.0	95.4	26.7	BDL	BDL	BDL
W-5	09.04.2024	61.3	38.7	21.5	28.3	555.0	92.1	25.6	BDL	BDL	BDL
	10.04.2024	59.2	38.1	20.7	27.1	622.0	93.9	25.4	BDL	BDL	BDL
W-6	16.04.2024	63.4	39.6	25.6	29.5	688.0	87.2	29.0	BDL	BDL	BDL
	17.04.2024	64.7	38.4	26.5	27.0	488.0	96.5	28.6	BDL	BDL	BDL
W-7	23.04.2024	65.6	39.1	23.3	27.8	511.0	91.3	31.0	BDL	BDL	BDL
	24.04.2024	67.4	38.6	21.8	26.9	666.0	81.9	29.1	BDL	BDL	BDL
W-8	30.04.2024	64.8	39.1	20.8	24.6	688.0	83.0	29.9	BDL	BDL	BDL
	01.05.2024	64.0	38.6	21.4	24.1	733.0	75.2	28.6	BDL	BDL	BDL
W-9	07.05.2024	61.1	38.5	19.6	25.5	777.0	81.9	29.3	BDL	BDL	BDL
	08.05.2024	61.5	39.8	20.5	24.0	644.0	87.3	30.2	BDL	BDL	BDL
W-10	14.05.2024	62.2	39.5	21.4	24.9	555.0	83.6	26.9	BDL	BDL	BDL
	15.05.2024	62.7	38.1	22.2	25.4	577.0	92.1	25.1	BDL	BDL	BDL
W-11	21.05.2024	63.4	37.0	23.4	26.8	822.0	88.3	26.4	BDL	BDL	BDL
	22.05.2024	64.7	37.9	24.6	27.4	644.0	93.6	26.6	BDL	BDL	BDL
W-12	28.05.2024	66.6	39.5	22.5	25.6	622.0	97.2	27.6	BDL	BDL	BDL
	29.05.2024	65.5	39.8	21.7	24.0	666.0	94.5	28.0	BDL	BDL	BDL
W-13	04.06.2024	62.2	38.2	20.4	25.7	688.0	91.2	26.9	BDL	BDL	BDL
	05.06.2024	60.1	37.6	19.6	24.5	644.0	93.0	26.7	BDL	BDL	BDL
Minimum		59.2	37.0	19.6	24.0	488.0	75.2	24.1	BDL	BDL	BDL
Maximum		67.4	40.3	26.5	30.0	822.0	98.1	31.0	BDL	BDL	BDL
Average		63.1	38.9	22.4	26.7	620.0	89.6	27.4	BDL	BDL	BDL
98 percentile		67.0	40.3	26.1	29.8	799.5	97.7	30.6	BDL	BDL	BDL
Limits As Per MoEF gazette notification GSR/826(E)		100	60	80	80	2000	400	100	1.0	20	06

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

- Note –
1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
 2. The results listed referred to the tested samples and applicable parameters only.
 3. Our liability is limited to the commercial value of the test/tests carried out.
 4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



End of Report

Off.: First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur- 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur- 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

TEST RESULTS

Thodaha Village						
U-A-1						
Week	Date	Benzene	B(a)P	Cd	Cr	Hg
		µg/m ³	ng/m ³	ng/m ³	µg/m ³	ng/m ³
W-1	08.03.2024	BDL	BDL	BDL	BDL	BDL
	09.03.2024	BDL	BDL	BDL	BDL	BDL
W-2	15.03.2024	BDL	BDL	BDL	BDL	BDL
	16.03.2024	BDL	BDL	BDL	BDL	BDL
W-3	22.03.2024	BDL	BDL	BDL	BDL	BDL
	23.03.2024	BDL	BDL	BDL	BDL	BDL
W-4	29.03.2024	BDL	BDL	BDL	BDL	BDL
	30.03.2024	BDL	BDL	BDL	BDL	BDL
W-5	05.04.2024	BDL	BDL	BDL	BDL	BDL
	06.04.2024	BDL	BDL	BDL	BDL	BDL
W-6	12.04.2024	BDL	BDL	BDL	BDL	BDL
	13.04.2024	BDL	BDL	BDL	BDL	BDL
W-7	19.04.2024	BDL	BDL	BDL	BDL	BDL
	20.04.2024	BDL	BDL	BDL	BDL	BDL
W-8	26.04.2024	BDL	BDL	BDL	BDL	BDL
	27.04.2024	BDL	BDL	BDL	BDL	BDL
W-9	03.05.2024	BDL	BDL	BDL	BDL	BDL
	04.05.2024	BDL	BDL	BDL	BDL	BDL
W-10	10.05.2024	BDL	BDL	BDL	BDL	BDL
	11.05.2024	BDL	BDL	BDL	BDL	BDL
W-11	17.05.2024	BDL	BDL	BDL	BDL	BDL
	18.05.2024	BDL	BDL	BDL	BDL	BDL
W-12	24.05.2024	BDL	BDL	BDL	BDL	BDL
	25.05.2024	BDL	BDL	BDL	BDL	BDL
W-13	31.05.2024	BDL	BDL	BDL	BDL	BDL
	01.06.2024	BDL	BDL	BDL	BDL	BDL
Minimum		BDL	BDL	BDL	BDL	BDL
Maximum		BDL	BDL	BDL	BDL	BDL
Average		BDL	BDL	BDL	BDL	BDL
98 percentile		BDL	BDL	BDL	BDL	BDL

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

Baskhali Village						
U-A-2						
Week	Date	Benzene	B(a)P	Cd	Cr	Hg
		$\mu\text{g}/\text{m}^3$	ng/m^3	ng/m^3	$\mu\text{g}/\text{m}^3$	ng/m^3
W-1	08.03.2024	BDL	BDL	BDL	BDL	BDL
	09.03.2024	BDL	BDL	BDL	BDL	BDL
W-2	15.03.2024	BDL	BDL	BDL	BDL	BDL
	16.03.2024	BDL	BDL	BDL	BDL	BDL
W-3	22.03.2024	BDL	BDL	BDL	BDL	BDL
	23.03.2024	BDL	BDL	BDL	BDL	BDL
W-4	29.03.2024	BDL	BDL	BDL	BDL	BDL
	30.03.2024	BDL	BDL	BDL	BDL	BDL
W-5	05.04.2024	BDL	BDL	BDL	BDL	BDL
	06.04.2024	BDL	BDL	BDL	BDL	BDL
W-6	12.04.2024	BDL	BDL	BDL	BDL	BDL
	13.04.2024	BDL	BDL	BDL	BDL	BDL
W-7	19.04.2024	BDL	BDL	BDL	BDL	BDL
	20.04.2024	BDL	BDL	BDL	BDL	BDL
W-8	26.04.2024	BDL	BDL	BDL	BDL	BDL
	27.04.2024	BDL	BDL	BDL	BDL	BDL
W-9	03.05.2024	BDL	BDL	BDL	BDL	BDL
	04.05.2024	BDL	BDL	BDL	BDL	BDL
W-10	10.05.2024	BDL	BDL	BDL	BDL	BDL
	11.05.2024	BDL	BDL	BDL	BDL	BDL
W-11	17.05.2024	BDL	BDL	BDL	BDL	BDL
	18.05.2024	BDL	BDL	BDL	BDL	BDL
W-12	24.05.2024	BDL	BDL	BDL	BDL	BDL
	25.05.2024	BDL	BDL	BDL	BDL	BDL
W-13	31.05.2024	BDL	BDL	BDL	BDL	BDL
	01.06.2024	BDL	BDL	BDL	BDL	BDL
Minimum		BDL	BDL	BDL	BDL	BDL
Maximum		BDL	BDL	BDL	BDL	BDL
Average		BDL	BDL	BDL	BDL	BDL
98 percentile		BDL	BDL	BDL	BDL	BDL

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

Mauhari Village						
U-A-3						
Week	Date	Benzene	B(a)P	Cd	Cr	Hg
		$\mu\text{g}/\text{m}^3$	ng/m^3	ng/m^3	$\mu\text{g}/\text{m}^3$	ng/m^3
W-1	08.03.2024	BDL	BDL	BDL	BDL	BDL
	09.03.2024	BDL	BDL	BDL	BDL	BDL
W-2	15.03.2024	BDL	BDL	BDL	BDL	BDL
	16.03.2024	BDL	BDL	BDL	BDL	BDL
W-3	22.03.2024	BDL	BDL	BDL	BDL	BDL
	23.03.2024	BDL	BDL	BDL	BDL	BDL
W-4	29.03.2024	BDL	BDL	BDL	BDL	BDL
	30.03.2024	BDL	BDL	BDL	BDL	BDL
W-5	05.04.2024	BDL	BDL	BDL	BDL	BDL
	06.04.2024	BDL	BDL	BDL	BDL	BDL
W-6	12.04.2024	BDL	BDL	BDL	BDL	BDL
	13.04.2024	BDL	BDL	BDL	BDL	BDL
W-7	19.04.2024	BDL	BDL	BDL	BDL	BDL
	20.04.2024	BDL	BDL	BDL	BDL	BDL
W-8	26.04.2024	BDL	BDL	BDL	BDL	BDL
	27.04.2024	BDL	BDL	BDL	BDL	BDL
W-9	03.05.2024	BDL	BDL	BDL	BDL	BDL
	04.05.2024	BDL	BDL	BDL	BDL	BDL
W-10	10.05.2024	BDL	BDL	BDL	BDL	BDL
	11.05.2024	BDL	BDL	BDL	BDL	BDL
W-11	17.05.2024	BDL	BDL	BDL	BDL	BDL
	18.05.2024	BDL	BDL	BDL	BDL	BDL
W-12	24.05.2024	BDL	BDL	BDL	BDL	BDL
	25.05.2024	BDL	BDL	BDL	BDL	BDL
W-13	31.05.2024	BDL	BDL	BDL	BDL	BDL
	01.06.2024	BDL	BDL	BDL	BDL	BDL
Minimum		BDL	BDL	BDL	BDL	BDL
Maximum		BDL	BDL	BDL	BDL	BDL
Average		BDL	BDL	BDL	BDL	BDL
98 percentile		BDL	BDL	BDL	BDL	BDL

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

Baskhala Village						
U-A-4						
Week	Date	Benzene	B(a)P	Cd	Cr	Hg
		$\mu\text{g}/\text{m}^3$	ng/m^3	ng/m^3	$\mu\text{g}/\text{m}^3$	ng/m^3
W-1	08.03.2024	BDL	BDL	BDL	BDL	BDL
	09.03.2024	BDL	BDL	BDL	BDL	BDL
W-2	15.03.2024	BDL	BDL	BDL	BDL	BDL
	16.03.2024	BDL	BDL	BDL	BDL	BDL
W-3	22.03.2024	BDL	BDL	BDL	BDL	BDL
	23.03.2024	BDL	BDL	BDL	BDL	BDL
W-4	29.03.2024	BDL	BDL	BDL	BDL	BDL
	30.03.2024	BDL	BDL	BDL	BDL	BDL
W-5	05.04.2024	BDL	BDL	BDL	BDL	BDL
	06.04.2024	BDL	BDL	BDL	BDL	BDL
W-6	12.04.2024	BDL	BDL	BDL	BDL	BDL
	13.04.2024	BDL	BDL	BDL	BDL	BDL
W-7	19.04.2024	BDL	BDL	BDL	BDL	BDL
	20.04.2024	BDL	BDL	BDL	BDL	BDL
W-8	26.04.2024	BDL	BDL	BDL	BDL	BDL
	27.04.2024	BDL	BDL	BDL	BDL	BDL
W-9	03.05.2024	BDL	BDL	BDL	BDL	BDL
	04.05.2024	BDL	BDL	BDL	BDL	BDL
W-10	10.05.2024	BDL	BDL	BDL	BDL	BDL
	11.05.2024	BDL	BDL	BDL	BDL	BDL
W-11	17.05.2024	BDL	BDL	BDL	BDL	BDL
	18.05.2024	BDL	BDL	BDL	BDL	BDL
W-12	24.05.2024	BDL	BDL	BDL	BDL	BDL
	25.05.2024	BDL	BDL	BDL	BDL	BDL
W-13	31.05.2024	BDL	BDL	BDL	BDL	BDL
	01.06.2024	BDL	BDL	BDL	BDL	BDL
Minimum		BDL	BDL	BDL	BDL	BDL
Maximum		BDL	BDL	BDL	BDL	BDL
Average		BDL	BDL	BDL	BDL	BDL
98 percentile		BDL	BDL	BDL	BDL	BDL

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

Gadhi Village						
U-A-5						
Week	Date	Benzene	B(a)P	Cd	Cr	Hg
		$\mu\text{g}/\text{m}^3$	ng/m^3	ng/m^3	$\mu\text{g}/\text{m}^3$	ng/m^3
W-1	10.03.2024	BDL	BDL	BDL	BDL	BDL
	11.03.2024	BDL	BDL	BDL	BDL	BDL
W-2	17.03.2024	BDL	BDL	BDL	BDL	BDL
	18.03.2024	BDL	BDL	BDL	BDL	BDL
W-3	24.03.2024	BDL	BDL	BDL	BDL	BDL
	25.03.2024	BDL	BDL	BDL	BDL	BDL
W-4	31.03.2024	BDL	BDL	BDL	BDL	BDL
	01.04.2024	BDL	BDL	BDL	BDL	BDL
W-5	07.04.2024	BDL	BDL	BDL	BDL	BDL
	08.04.2024	BDL	BDL	BDL	BDL	BDL
W-6	14.04.2024	BDL	BDL	BDL	BDL	BDL
	15.04.2024	BDL	BDL	BDL	BDL	BDL
W-7	21.04.2024	BDL	BDL	BDL	BDL	BDL
	22.04.2024	BDL	BDL	BDL	BDL	BDL
W-8	28.04.2024	BDL	BDL	BDL	BDL	BDL
	29.04.2024	BDL	BDL	BDL	BDL	BDL
W-9	05.05.2024	BDL	BDL	BDL	BDL	BDL
	06.05.2024	BDL	BDL	BDL	BDL	BDL
W-10	12.05.2024	BDL	BDL	BDL	BDL	BDL
	13.05.2024	BDL	BDL	BDL	BDL	BDL
W-11	19.05.2024	BDL	BDL	BDL	BDL	BDL
	20.05.2024	BDL	BDL	BDL	BDL	BDL
W-12	26.05.2024	BDL	BDL	BDL	BDL	BDL
	27.05.2024	BDL	BDL	BDL	BDL	BDL
W-13	02.06.2024	BDL	BDL	BDL	BDL	BDL
	03.06.2024	BDL	BDL	BDL	BDL	BDL
Minimum		BDL	BDL	BDL	BDL	BDL
Maximum		BDL	BDL	BDL	BDL	BDL
Average		BDL	BDL	BDL	BDL	BDL
98 percentile		BDL	BDL	BDL	BDL	BDL

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

Muddhoa Village						
U-A-6						
Week	Date	Benzene	B(a)P	Cd	Cr	Hg
		$\mu\text{g}/\text{m}^3$	ng/m^3	ng/m^3	$\mu\text{g}/\text{m}^3$	ng/m^3
W-1	10.03.2024	BDL	BDL	BDL	BDL	BDL
	11.03.2024	BDL	BDL	BDL	BDL	BDL
W-2	17.03.2024	BDL	BDL	BDL	BDL	BDL
	18.03.2024	BDL	BDL	BDL	BDL	BDL
W-3	24.03.2024	BDL	BDL	BDL	BDL	BDL
	25.03.2024	BDL	BDL	BDL	BDL	BDL
W-4	31.03.2024	BDL	BDL	BDL	BDL	BDL
	01.04.2024	BDL	BDL	BDL	BDL	BDL
W-5	07.04.2024	BDL	BDL	BDL	BDL	BDL
	08.04.2024	BDL	BDL	BDL	BDL	BDL
W-6	14.04.2024	BDL	BDL	BDL	BDL	BDL
	15.04.2024	BDL	BDL	BDL	BDL	BDL
W-7	21.04.2024	BDL	BDL	BDL	BDL	BDL
	22.04.2024	BDL	BDL	BDL	BDL	BDL
W-8	28.04.2024	BDL	BDL	BDL	BDL	BDL
	29.04.2024	BDL	BDL	BDL	BDL	BDL
W-9	05.05.2024	BDL	BDL	BDL	BDL	BDL
	06.05.2024	BDL	BDL	BDL	BDL	BDL
W-10	12.05.2024	BDL	BDL	BDL	BDL	BDL
	13.05.2024	BDL	BDL	BDL	BDL	BDL
W-11	19.05.2024	BDL	BDL	BDL	BDL	BDL
	20.05.2024	BDL	BDL	BDL	BDL	BDL
W-12	26.05.2024	BDL	BDL	BDL	BDL	BDL
	27.05.2024	BDL	BDL	BDL	BDL	BDL
W-13	02.06.2024	BDL	BDL	BDL	BDL	BDL
	03.06.2024	BDL	BDL	BDL	BDL	BDL
Minimum		BDL	BDL	BDL	BDL	BDL
Maximum		BDL	BDL	BDL	BDL	BDL
Average		BDL	BDL	BDL	BDL	BDL
98 percentile		BDL	BDL	BDL	BDL	BDL

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

Reula Village						
U-A-7						
Week	Date	Benzene	B(a)P	Cd	Cr	Hg
		µg/m ³	ng/m ³	ng/m ³	µg/m ³	ng/m ³
W-1	10.03.2024	BDL	BDL	BDL	BDL	BDL
	11.03.2024	BDL	BDL	BDL	BDL	BDL
W-2	17.03.2024	BDL	BDL	BDL	BDL	BDL
	18.03.2024	BDL	BDL	BDL	BDL	BDL
W-3	24.03.2024	BDL	BDL	BDL	BDL	BDL
	25.03.2024	BDL	BDL	BDL	BDL	BDL
W-4	31.03.2024	BDL	BDL	BDL	BDL	BDL
	01.04.2024	BDL	BDL	BDL	BDL	BDL
W-5	07.04.2024	BDL	BDL	BDL	BDL	BDL
	08.04.2024	BDL	BDL	BDL	BDL	BDL
W-6	14.04.2024	BDL	BDL	BDL	BDL	BDL
	15.04.2024	BDL	BDL	BDL	BDL	BDL
W-7	21.04.2024	BDL	BDL	BDL	BDL	BDL
	22.04.2024	BDL	BDL	BDL	BDL	BDL
W-8	28.04.2024	BDL	BDL	BDL	BDL	BDL
	29.04.2024	BDL	BDL	BDL	BDL	BDL
W-9	05.05.2024	BDL	BDL	BDL	BDL	BDL
	06.05.2024	BDL	BDL	BDL	BDL	BDL
W-10	12.05.2024	BDL	BDL	BDL	BDL	BDL
	13.05.2024	BDL	BDL	BDL	BDL	BDL
W-11	19.05.2024	BDL	BDL	BDL	BDL	BDL
	20.05.2024	BDL	BDL	BDL	BDL	BDL
W-12	26.05.2024	BDL	BDL	BDL	BDL	BDL
	27.05.2024	BDL	BDL	BDL	BDL	BDL
W-13	02.06.2024	BDL	BDL	BDL	BDL	BDL
	03.06.2024	BDL	BDL	BDL	BDL	BDL
Minimum		BDL	BDL	BDL	BDL	BDL
Maximum		BDL	BDL	BDL	BDL	BDL
Average		BDL	BDL	BDL	BDL	BDL
98 percentile		BDL	BDL	BDL	BDL	BDL

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

Urtan Village						
U-A-8						
Week	Date	Benzene	B(a)P	Cd	Cr	Hg
		$\mu\text{g}/\text{m}^3$	ng/m^3	ng/m^3	$\mu\text{g}/\text{m}^3$	ng/m^3
W-1	10.03.2024	BDL	BDL	BDL	BDL	BDL
	11.03.2024	BDL	BDL	BDL	BDL	BDL
W-2	17.03.2024	BDL	BDL	BDL	BDL	BDL
	18.03.2024	BDL	BDL	BDL	BDL	BDL
W-3	24.03.2024	BDL	BDL	BDL	BDL	BDL
	25.03.2024	BDL	BDL	BDL	BDL	BDL
W-4	31.03.2024	BDL	BDL	BDL	BDL	BDL
	01.04.2024	BDL	BDL	BDL	BDL	BDL
W-5	07.04.2024	BDL	BDL	BDL	BDL	BDL
	08.04.2024	BDL	BDL	BDL	BDL	BDL
W-6	14.04.2024	BDL	BDL	BDL	BDL	BDL
	15.04.2024	BDL	BDL	BDL	BDL	BDL
W-7	21.04.2024	BDL	BDL	BDL	BDL	BDL
	22.04.2024	BDL	BDL	BDL	BDL	BDL
W-8	28.04.2024	BDL	BDL	BDL	BDL	BDL
	29.04.2024	BDL	BDL	BDL	BDL	BDL
W-9	05.05.2024	BDL	BDL	BDL	BDL	BDL
	06.05.2024	BDL	BDL	BDL	BDL	BDL
W-10	12.05.2024	BDL	BDL	BDL	BDL	BDL
	13.05.2024	BDL	BDL	BDL	BDL	BDL
W-11	19.05.2024	BDL	BDL	BDL	BDL	BDL
	20.05.2024	BDL	BDL	BDL	BDL	BDL
W-12	26.05.2024	BDL	BDL	BDL	BDL	BDL
	27.05.2024	BDL	BDL	BDL	BDL	BDL
W-13	02.06.2024	BDL	BDL	BDL	BDL	BDL
	03.06.2024	BDL	BDL	BDL	BDL	BDL
Minimum		BDL	BDL	BDL	BDL	BDL
Maximum		BDL	BDL	BDL	BDL	BDL
Average		BDL	BDL	BDL	BDL	BDL
98 percentile		BDL	BDL	BDL	BDL	BDL

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

Manmari Village						
U-A-9						
Week	Date	Benzene	B(a)P	Cd	Cr	Hg
		µg/m ³	ng/m ³	ng/m ³	µg/m ³	ng/m ³
W-1	12.03.2024	BDL	BDL	BDL	BDL	BDL
	13.03.2024	BDL	BDL	BDL	BDL	BDL
W-2	19.03.2024	BDL	BDL	BDL	BDL	BDL
	20.03.2024	BDL	BDL	BDL	BDL	BDL
W-3	26.03.2024	BDL	BDL	BDL	BDL	BDL
	27.03.2024	BDL	BDL	BDL	BDL	BDL
W-4	02.04.2024	BDL	BDL	BDL	BDL	BDL
	03.04.2024	BDL	BDL	BDL	BDL	BDL
W-5	09.04.2024	BDL	BDL	BDL	BDL	BDL
	10.04.2024	BDL	BDL	BDL	BDL	BDL
W-6	16.04.2024	BDL	BDL	BDL	BDL	BDL
	17.04.2024	BDL	BDL	BDL	BDL	BDL
W-7	23.04.2024	BDL	BDL	BDL	BDL	BDL
	24.04.2024	BDL	BDL	BDL	BDL	BDL
W-8	30.04.2024	BDL	BDL	BDL	BDL	BDL
	01.05.2024	BDL	BDL	BDL	BDL	BDL
W-9	07.05.2024	BDL	BDL	BDL	BDL	BDL
	08.05.2024	BDL	BDL	BDL	BDL	BDL
W-10	14.05.2024	BDL	BDL	BDL	BDL	BDL
	15.05.2024	BDL	BDL	BDL	BDL	BDL
W-11	21.05.2024	BDL	BDL	BDL	BDL	BDL
	22.05.2024	BDL	BDL	BDL	BDL	BDL
W-12	28.05.2024	BDL	BDL	BDL	BDL	BDL
	29.05.2024	BDL	BDL	BDL	BDL	BDL
W-13	04.06.2024	BDL	BDL	BDL	BDL	BDL
	05.06.2024	BDL	BDL	BDL	BDL	BDL
Minimum		BDL	BDL	BDL	BDL	BDL
Maximum		BDL	BDL	BDL	BDL	BDL
Average		BDL	BDL	BDL	BDL	BDL
98 percentile		BDL	BDL	BDL	BDL	BDL

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

Pathroudi Village						
U-A-10						
Week	Date	Benzene	B(a)P	Cd	Cr	Hg
		$\mu\text{g}/\text{m}^3$	ng/m^3	ng/m^3	$\mu\text{g}/\text{m}^3$	ng/m^3
W-1	12.03.2024	BDL	BDL	BDL	BDL	BDL
	13.03.2024	BDL	BDL	BDL	BDL	BDL
W-2	19.03.2024	BDL	BDL	BDL	BDL	BDL
	20.03.2024	BDL	BDL	BDL	BDL	BDL
W-3	26.03.2024	BDL	BDL	BDL	BDL	BDL
	27.03.2024	BDL	BDL	BDL	BDL	BDL
W-4	02.04.2024	BDL	BDL	BDL	BDL	BDL
	03.04.2024	BDL	BDL	BDL	BDL	BDL
W-5	09.04.2024	BDL	BDL	BDL	BDL	BDL
	10.04.2024	BDL	BDL	BDL	BDL	BDL
W-6	16.04.2024	BDL	BDL	BDL	BDL	BDL
	17.04.2024	BDL	BDL	BDL	BDL	BDL
W-7	23.04.2024	BDL	BDL	BDL	BDL	BDL
	24.04.2024	BDL	BDL	BDL	BDL	BDL
W-8	30.04.2024	BDL	BDL	BDL	BDL	BDL
	01.05.2024	BDL	BDL	BDL	BDL	BDL
W-9	07.05.2024	BDL	BDL	BDL	BDL	BDL
	08.05.2024	BDL	BDL	BDL	BDL	BDL
W-10	14.05.2024	BDL	BDL	BDL	BDL	BDL
	15.05.2024	BDL	BDL	BDL	BDL	BDL
W-11	21.05.2024	BDL	BDL	BDL	BDL	BDL
	22.05.2024	BDL	BDL	BDL	BDL	BDL
W-12	28.05.2024	BDL	BDL	BDL	BDL	BDL
	29.05.2024	BDL	BDL	BDL	BDL	BDL
W-13	04.06.2024	BDL	BDL	BDL	BDL	BDL
	05.06.2024	BDL	BDL	BDL	BDL	BDL
Minimum		BDL	BDL	BDL	BDL	BDL
Maximum		BDL	BDL	BDL	BDL	BDL
Average		BDL	BDL	BDL	BDL	BDL
98 percentile		BDL	BDL	BDL	BDL	BDL

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955

► Soil Testing for all types of Foundation Designs. ► Chemical Analysis of Soil & Water ► Mechanical Analysis of Soil & Rock

Page 11 of 18 Micro-biological Analysis of Soil & Water ► Testing of Construction Material ► Environment Consultants ► Environment Monitoring & Analysis



Nilawar Laboratories
(A Unit of MNEC Consultants Pvt. Ltd)

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

CIN No. U74140MH112009PTC196108

Maintola Village						
U-A-11						
Week	Date	Benzene	B(a)P	Cd	Cr	Hg
		$\mu\text{g}/\text{m}^3$	ng/m^3	ng/m^3	$\mu\text{g}/\text{m}^3$	ng/m^3
W-1	12.03.2024	BDL	BDL	BDL	BDL	BDL
	13.03.2024	BDL	BDL	BDL	BDL	BDL
W-2	19.03.2024	BDL	BDL	BDL	BDL	BDL
	20.03.2024	BDL	BDL	BDL	BDL	BDL
W-3	26.03.2024	BDL	BDL	BDL	BDL	BDL
	27.03.2024	BDL	BDL	BDL	BDL	BDL
W-4	02.04.2024	BDL	BDL	BDL	BDL	BDL
	03.04.2024	BDL	BDL	BDL	BDL	BDL
W-5	09.04.2024	BDL	BDL	BDL	BDL	BDL
	10.04.2024	BDL	BDL	BDL	BDL	BDL
W-6	16.04.2024	BDL	BDL	BDL	BDL	BDL
	17.04.2024	BDL	BDL	BDL	BDL	BDL
W-7	23.04.2024	BDL	BDL	BDL	BDL	BDL
	24.04.2024	BDL	BDL	BDL	BDL	BDL
W-8	30.04.2024	BDL	BDL	BDL	BDL	BDL
	01.05.2024	BDL	BDL	BDL	BDL	BDL
W-9	07.05.2024	BDL	BDL	BDL	BDL	BDL
	08.05.2024	BDL	BDL	BDL	BDL	BDL
W-10	14.05.2024	BDL	BDL	BDL	BDL	BDL
	15.05.2024	BDL	BDL	BDL	BDL	BDL
W-11	21.05.2024	BDL	BDL	BDL	BDL	BDL
	22.05.2024	BDL	BDL	BDL	BDL	BDL
W-12	28.05.2024	BDL	BDL	BDL	BDL	BDL
	29.05.2024	BDL	BDL	BDL	BDL	BDL
W-13	04.06.2024	BDL	BDL	BDL	BDL	BDL
	05.06.2024	BDL	BDL	BDL	BDL	BDL
Minimum		BDL	BDL	BDL	BDL	BDL
Maximum		BDL	BDL	BDL	BDL	BDL
Average		BDL	BDL	BDL	BDL	BDL
98 percentile		BDL	BDL	BDL	BDL	BDL

For M/s Nilawar Laboratories,




Dinesh Bangadkar
(Authorized Signatory)

Note –

1. This report should not be reproduced wholly or in part and not to be used as evidence in any court of law.
2. The results listed referred to the tested samples and applicable parameters only.
3. Our liability is limited to the commercial value of the test/tests carried out.
4. NR-No Relaxation, AG-Agreeable; NA- Not Applicable; BDL- Below Detection Limit.

-----End of Report-----



Off. : First Floor, 'Pratibha Sankul', Beside Alankar Cinema, Dharampeth, Nagpur - 10. Ph. : +91-712-2542261, 2542291, E-mail : nilawarlabs@gmail.com

Laboratory : At Km 16.5, Nilawar Motors Complex, Amravati Road, Waddhamna, Nagpur - 440 023. Mob. : +91-9922409055, 9552550955